



**PT. SMART CAKRAWALA AVIATION**

## **WORK ORDER**

**Form: SCA/MTC/030**

Subject : <b>400 Hours Inspection &amp; Add.Task</b>	No.	WO/010-SNT/V/2023
	Date	11 May 2023
	A/C Reg.	PK-SNT C208B-5707
Reference : MP C208B ISSUED 01	Prepared By	TS
	Checked By	CI
	Approved By	TM
To : Engineer In Charge		
<b>Description :</b>  1. Perform 400 Hours Inspection & Add.Task 2. Make an entry in Maintenance Log. 3. Return the Completed Work Order and Form to PPC.  #If any finding, please close the routine card, and transferred to inspection card.		
<b>Additional Work :</b>          		
Compliance Statement	Sign & Date Company Lic. No.:   (Engineer In Charge)	Signature      (Technical Manager)

**AIRCRAFT CHECK WORK SUMMARY**  
(Form: SCA/MTC/051)

DATE OF ISSUED		JO/WO #		TYPE OF MAINTENANCE		DATE OF ACCOMPLISHED	
		WO/010-SNT/V/2023		400 Hours & Add.			
A/C Type			Mfg. Serial Number			A/C Registration	
C208B			C208B-5707			PK-SNT	
<b>AIRCRAFT DATA</b>							
Subject		Pos #	Serial Number (SN)			TTSN/TCSN	
Engine		#1	PCE-VA0838				
		#2	-				
Propeller/Rotor		#1	211046				
		#2	-				
Landing Gear		NLG					
		LH MLG					
		RH MLG					
<b>PACKAGE COVERED</b>							
No	Subject			Qty	Remark		
1	Non-Routine Card			2			
2	Inspection Card			1			
3	Work Order			1			
4	Summary Inspection List			1			
5	Material and Tool List			-			
6	Escalation form			-			
7	CRS (SMI / Unscheduled Maintenance)			1			
<b>INSPECTION CARD (IC) LIST (Finding during maintenance)</b>							
No	Taskcard Ref	Subject	Status		Name/ Sign & Stamp		
			Open	Close			
<u>IC-001</u>							
<u>IC-002</u>							
<u>IC-003</u>							
<u>IC-004</u>							
<u>IC-005</u>							
<u>IC-006</u>							


<u>IC-007</u>					
<u>IC-008</u>					
<u>IC-009</u>					
<u>IC-010</u>					
<u>IC-011</u>					
<u>IC-012</u>					
<u>IC-013</u>					
<u>IC-014</u>					
<u>IC-015</u>					

Prepared by :  
Technical Support


Checked by :  
Chief Maintenance

Verified by :  
Chief Inspector

Approved by :  
Technical Manager

  
.....  
Dwi M.

  
.....  
Dodit

  
.....  
Yanuar

  
.....  
Istiono



# SUMMARY INSPECTION ITEMS (Form: SCA/MTC/050)

WO Ref: WO/010-SNT/V/2023

NO.	TASK CARD NO.	DESCRIPTION	DATE	EST MHR	NAME	STAMP
1	APPENDIX B08	PT6A-140 ENGINE GROUND RUN				
2	APPENDIX D11	PT6A-140 400HRS ENGINE				
3	APPENDIX D10	PT6A-140 200HRS/6MTHS ENGINE				
4	APPENDIX D10	PT6A-140 200HRS ENGINE				
5	APPENDIX D08	PT6A-140 100HRS ENGINE				
6	APPENDIX C03	200 HRS/12 MTHS INSPECTION				
7	APPENDIX C04	400 HRS/24 MTHS INSPECTION				
8	APPENDIX C05	400 HRS/12 MTHS INSPECTION				
9	SCA/MTC/023	EMERGENCY EQUIPMENT CHECKLIST				



PT. SMART CAKRAWALA AVIATION

## CERTIFICATE RETURN TO SERVICE

### SCHEDULED MAINTENANCE INSPECTION (CRS-SMI)

A/C TYPE : CESSNA 208B

TTSN :

A/C REG : PK-SNT

TCSN :

MSN : C208B-5707

DATE :

TYPE OF INSPECTION : 400 Hours Inspection & Add.Task

DUE AT : 400 Hours

REF : MP C208B ISSUED 01

EXCEPTION

#### AUTHORIZED PERSON


I hereby certify that this aircraft has been maintained accordance with CASR and Maintenance Program.  
Aircraft safe and airworthy for flight

NAME	CAT	AMEL/OTR NO	SIGN&STAMP	DATE
	AIRFRAME & POWER PLANT			
	EIRA			

THE NEXT DUE TYPE OF INSPECTION :

DUE AT : HOURS

**Form: SCA/MTC/049**

	<b>INSPECTION CARD</b> <b>(Form: SCA/MTC/ 048)</b>	TECHNICAL DEPARTMENT
---	---	-------------------------

1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE
6. A/C REG/MSN	7. A/C TYPE C208B	8. TRADE	12. VENDOR ORDER #	
9. ZONE	10. STA	11. MTC TYPE		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
Performed at A/C TT : ..... A/C TC /LDG : .....			

20. CORROSION INFORMATION					
LOCATION	CAUSE OF DAMAGE				
	<input type="checkbox"/> Environment				
	<input type="checkbox"/> Internal Leakage				
CORROSION <input type="checkbox"/> Isolated <input type="checkbox"/> Widespread	<input type="checkbox"/> Chemical Spill				
CORROSION LVL <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3	<input type="checkbox"/> LAV/Galley Spill				
PROPOSED ACTION <input type="checkbox"/> Doublers	<input type="checkbox"/> Blocked Drain				
<input type="checkbox"/> Others	<input type="checkbox"/> Wet Insulation Blanket				
	<input type="checkbox"/> Other				

21. If the defect is RII, Please Sign this card finally by RII Inspector	INSP	DATE
NOTICE OF INSPECTOR		

22. PARTS REQUIRED						
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS	
			ON	OFF	CLOSE	OPEN

23. TOOLS REQUIRED			
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE	STATUS



**NON ROUTINE CARD**  
(Form: SCA/MTC/047)

1. JO/WO #	2. DATE	3. MTC TYPE	4. A/C REG/MSN
WO/010-SNT/V/2023		REPLACEMENT COMPONENT	PK-SNT
5. CARD #	6. ATA SPEC	7. TRADE	8. STA
#01	37		
9. ZONE	10. PANEL		

11. DESCRIPTION			
PERFORM VACUUM SYSTEM CENTRAL AIR FILTER REPLACEMENT P/N: D9-18-1 / C294502-0201			
REFERENCE	<input checked="" type="checkbox"/> AMM Ch. 37-10-00-960	<input type="checkbox"/> EMM Ch	<input type="checkbox"/> OTHER
RII (*)	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	MHR :

12. RESULT		MECH	ENG	INSP (*)
Performed at A/C TT : ..... A/C TC /LDG : .....				
FINDING	<input type="checkbox"/> Y	<input type="checkbox"/> N	ACT MHR :	DATE/TIME (DD/MM/YY)
INSPECTION CARD (IC) #				

13. PARTS REQUIRED				
DESCRIPTION	PART NO	QTY	REMARK	
			STOCK	STATUS
FILTER ELEMENT	D9-18-1 / C294502-0201	1		

14. TOOLS REQUIRED			
DESCRIPTION	PART NO / MODEL	NEXT CALIBRATION DATE	STATUS



**NON ROUTINE CARD**  
(Form: SCA/MTC/047)

1. JO/WO #	2. DATE	3. MTC TYPE	4. A/C REG/MSN
WO/010-SNT/V/2023		REPLACEMENT COMPONENT	PK-SNT
5. CARD #	6. ATA SPEC	7. TRADE	8. STA
#02	37		
9. ZONE	10. PANEL		

11. DESCRIPTION			
PERFORM VACUUM RELIEF VALVE FILTER REPLACEMENT P/N: B3-5-1 / C482001-0202			
REFERENCE	<input checked="" type="checkbox"/> AMM Ch. 37-10-00-961	<input type="checkbox"/> EMM Ch	<input type="checkbox"/> OTHER
RII (*)	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	MHR :

12. RESULT		MECH	ENG	INSP (*)
Performed at A/C TT : ..... A/C TC /LDG : .....				
FINDING	<input type="checkbox"/> Y	<input type="checkbox"/> N	ACT MHR :	DATE/TIME (DD/MM/YY)
INSPECTION CARD (IC) #				

13. PARTS REQUIRED				
DESCRIPTION	PART NO	QTY	REMARK	
			STOCK	STATUS
FILTER ELEMENT	B3-5-1 / C482001-0202	1		

14. TOOLS REQUIRED			
DESCRIPTION	PART NO / MODEL	NEXT CALIBRATION DATE	STATUS





# MAINTENANCE PROGRAM CESSNA 208/208B

## Appendix B08 – PT6A-140 Engine Run Performance Sheet

Reg. Mark : PK - WO/FML No. :

PRE – INSPECTION	
Location	
Date	
Cycle	
Filed Barometric	
OAT	
Altitude	

POST – INSPECTION	
Location	
Date	
Cycle	
Filed Barometric	
OAT	
Altitude	

PRE – INSPECTION		
	Target	Actual
Tq		
Np		
ITT	°C	°C
Ng	%	%
Wf		
Oil Press		°C
Oil Temp		°C
Start Temp		°C

POST – INSPECTION		
	Target	Actual
Tq		
Np		
ITT	°C	°C
Ng	%	%
Wf		
Oil Press		°C
Oil Temp		°C
Start Temp		°C

Engine Run Up Checks						
Inertial <input type="checkbox"/>	EPL <input type="checkbox"/>	OVG <input type="checkbox"/>	Stby Alt <input type="checkbox"/>	BOV <input type="checkbox"/>	Brake <input type="checkbox"/>	Randomn <input type="checkbox"/>
<b>NOTE:</b> 1. Brake system at Torque 2000 ft-lbs.      3. EPL check can't exceed 4% Ng per second.      5. Low idle at 55.5 - 57% 40Amps. 2. Inertial Separator at Torque 400 ft-lbs.      4. Standby Alt at 80% Ng.      6. High idle at 64 - 66% Ng 40Amps						

Engine Performance Target Table (Cessna C208B EX)

OAT (°C)	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
Tq (ft.lbs)	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397
Np	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
ITT (°C)	835	837	839	841	841	841	841	841	841	842	843	844	846	846	846
Ng (%)	102.7	102.7	102.7	102.7	102.7	102.7	102.7	102.6	102.6	102.6	102.6	102.6	102.6	102.6	102.5
WF (PPH)	578	578	578	578	578	578	578	570	565	565	560	560	555	548	548

**Note:**

1. Make sure that inertial separator in normal condition, no bleed air extracted from the engine and air condition OFF.
2. This table only applies to altitude 0-500 feet MSL. For higher altitude, refer to EMM 72-00-00.
3. Max fuel flow is 580 lb/hr fuel flow is not more than 15 lbs/hr higher than the value shown in table.
4. If parameters are outside the target performance table to EMM chapter 71-00-00.

**REMARKS:**

**PERFORMED BY**

Name	Sign & Stamp	Date	Location



# **EMERGENCY EQUIPMENT LIST INSPECTION & MONITOR**

**PT. SMART CAKRAWALA  
AVIATION**  
DEPARTMENT TEKNIK  
Form: SCA/MTC/023

<b>DATE :</b>	<b>A/C REG : PK-SNT</b>
<b>A/C TYPE : C208B</b>	<b>CHECKER :</b> <b>SIGN:</b>

No.	Description	P/N	S/N	Next Insp.	Remarks
1	Pilot Life Vest				
2	Co-Pilot Life Vest				
3	Pax Life Vest				
4	Pax Life Vest				
5	Pax Life Vest				
6	Pax Life Vest				
7	Pax Life Vest				
8	Pax Life Vest				
9	Pax Life Vest				
10	Pax Life Vest				
11	Pax Life Vest				
12	Pax Life Vest				
13	Firt Aid Kit				
14	Crash Axe Installed				
15	Fire Extinguisher				
16	Life Raft (If Installed)				
17	Survival Kit (If Installed)				
<b>OTHERS</b>					

WO# Nr: WO/010-SNT/V/2023

-

[illegible]



## Additional Work Sheet 400 Hrs & Add. Task Insp.

Aircraft Registration: **PK-SNT**

WO# Nr: WO/010-SNT/V/2023

## Parts Used Sheet

2

### Part Used

[illegible]