



PT. SMART CAKRAWALA AVIATION

**WORK ORDER**

Form: SCA/MTC/030

Subject :	No.	WO/051-SNG/VI/2023
Inspection 400Hours & Add.Task Insp.	Date	21 Jun 2023
	A/C Reg.	PK-SNG C208B-5543
Reference :	Prepared By	TS
MP C208/208B ISSUED 01	Checked By	CI
	Approved By	TM

To : Engineer In Charge

**Description :**

1. Perform Inspection 400 Hours & Add. Task Inspection Due at 3600 FH.
2. Make an entry in Maintenance Log.
3. Return the Completed Work Order and Form to PPC.

#If any finding, please close the routine card, and transferred to inspection card.

**Additional Work :**

Compliance Statement	Sign & Date Company Lic. No.:  (Engineer In Charge)	Signature  (Technical Manager)
----------------------	--	--------------------------------------

**AIRCRAFT CHECK WORK SUMMARY**  
**(Form: SCA/MTC/051)**

DATE OF ISSUED	JO/WO #	TYPE OF MAINTENANCE	DATE OF ACCOMPLISHED
21 Jun 2023	WO/051-SNG/VI/2023	Inspection 400 Hours &Add.Task	
A/C Type		Mfg. Serial Number	A/C Registration
C208B		C208B-5543	PK-SNG
<b>AIRCRAFT DATA</b>			
Subject	Pos #	Serial Number (SN)	TTSN/TCSN
Engine	#1	PCE-VA0596	
	#2	-	
Propeller/Rotor	#1	190140	
	#2	-	
Landing Gear	NLG		
	LH MLG		
	RH MLG		

**PACKAGE COVERED**

No	Subject	Qty	Remark
1	Non-Routine Card	2	#01, #02
2	Inspection Card	-	
3	Work Order	1	
4	Summary Inspection List	1	
5	Material and Tool List	-	
6	Escalation form	-	
7	CRS (SMI / Unscheduled Maintenance)	1	

**INSPECTION CARD (IC) LIST (Finding during maintenance)**

No	Taskcard Ref	Subject	Status		Name/ Sign & Stamp
			Open	Close	
IC-001					
IC-002					
IC-003					
IC-004					
IC-005					
IC-006					

<u>IC-007</u>					
<u>IC-008</u>					
<u>IC-009</u>					
<u>IC-010</u>					
<u>IC-011</u>					
<u>IC-012</u>					
<u>IC-013</u>					
<u>IC-014</u>					
<u>IC-015</u>					

Prepared by :  
Technical Support



Hani

Checked by :  
Chief Maintenance



Dodit

Verified by :  
Chief Inspector



Yanuar

Approved by :  
Technical Manager



Istiono



**SUMMARY INSPECTION ITEMS**  
**(Form: SCA/MTC/050)**

WO Ref: WO/051-SNG/VI/2023

NO.	TASK CARD NO.	DESCRIPTION	DATE	EST MHR	NAME	STAMP
1	APPENDIX D08	PT6A-ENGINE GROUND RUN				
2	APPENDIX C04	400 HRS/24 MTHS INSPECTION				
3	APPENDIX C05	400 HRS/12 MTHS INSPECTION				
4	APPENDIX C03	200 HRS/12 MTHS INSPECTION				
5	APPENDIX D11	PT6A-140 400 HRS ENGINE				
6	APPENDIX D10	PT6A-140 200 HRS/6 MTHS ENGINE				
7	APPENDIX D09	PT6A-140 200 HRS ENGINE				
8	APPENDIX D08	PT6A-140 100 HRS ENGINE				
9	NRC-02	VACUUM FILTER REPLACEMENT				
10	NRC-01	CENTRAL AIR FILTER REPLACEMENT				
11	SCA/MTC/023	EMERGENCY EQUIPMENT LIST				

A.



PT. SMART CAKRAWALA AVIATION

**CERTIFICATE RETURN TO SERVICE**  
**SCHEDULED MAINTENANCE INSPECTION**  
**(CRS-SMI)**

A/C TYPE	: CESSNA 208B		TTSN	:
A/C REG	: PK-SNG		TCSN	:
MSN	: C208B-5543		DATE	:
TYPE OF INSPECTION	: INSPECTION 400 HOURS & ADD TASK			
DUE AT	: 3600 HOURS			
REFF	: MP C208B ISSUED 01			
EXCEPTION				
<b>AUTHORIZED PERSON</b>				
I hereby certify that this aircraft has been maintained accordance with CASR and Maintenance Program. Aircraft safe and airworthy for flight				
NAME	CAT	AMEL/OTR NO	SIGN&STAMP	DATE
	AIRFRAME & POWER PLANT			
	EIRA			
THE NEXT DUE TYPE OF INSPECTION	:			
DUE AT	:			
<b>Form: SCA/MTC/049</b>				

	<b>INSPECTION CARD</b> <b>(Form: SCA/MTC/ 048)</b>				TECHNICAL DEPARTMENT			
1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE				
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #					
9. ZONE	10. STA	11. MTC TYPE						
13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20						14 PPC/ENG	15 DATE	
16. CORRECTIVE ACTION						17 MECH	18 ENG. LIC	19 DATE
Performed at A/C TT : ..... A/C TC /LDG : .....								
20. CORROSION INFORMATION								
LOCATION			CAUSE OF DAMAGE					
			<input type="checkbox"/> Environment					
			<input type="checkbox"/> Internal Leakage					
CORROSION <input type="checkbox"/> Isolated <input type="checkbox"/> Widespread			<input type="checkbox"/> Chemical Spill					
CORROSION LVL <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3			<input type="checkbox"/> LAV/Galley Spill					
PROPOSED ACTION <input type="checkbox"/> Doublers			<input type="checkbox"/> Blocked Drain					
<input type="checkbox"/> Others			<input type="checkbox"/> Wet Insulation Blanket					
.....			<input type="checkbox"/> Other					
21. If the defect is RII, Please Sign this card finally by RII Inspector							INSP	DATE
NOTICE OF INSPECTOR								
22. PARTS REQUIRED								
PART DESCRIPTION		PART NO		QTY	SERIAL NO		STATUS	
				ON	OFF		CLOSE	OPEN



**NON ROUTINE CARD**  
(Form: SCA/MTC/047)

1. JO/WO #	2. DATE	3. MTC TYPE	4. A/C REG/MSN
WO/051-SNG/VI/2023		REPLACEMENT COMPONENT	PK-SNG
5. CARD #	6. ATA SPEC	7. TRADE	8. STA
#01	37		
9. ZONE	10. PANEL		

11. DESCRIPTION

**PERFORM VACUUM SYSTEM CENTRAL AIR FILTER REPLACEMENT**

P/N: D9-18-1 / C294502-0201

REFERENCE	<input checked="" type="checkbox"/> AMM Ch. 37-10-00-960	<input type="checkbox"/> EMM Ch	<input type="checkbox"/> OTHER
RII (*)	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	MHR :

12. RESULT				MECH	ENG	INSP (*)
Performed at A/C TT : ..... A/C TC /LDG : .....						
FINDING	<input type="checkbox"/> Y	<input type="checkbox"/> N	ACT MHR :	DATE/TIME (DD/MM/YY)		
INSPECTION CARD (IC) #						

13. PARTS REQUIRED

DESCRIPTION	PART NO	QTY	REMARK	
			STOCK	STATUS
FILTER ELEMENT	D9-18-1 / C294502-0201	1		

14. TOOLS REQUIRED

DESCRIPTION	PART NO / MODEL	NEXT CALIBRATION DATE	STATUS



**NON ROUTINE CARD**  
**(Form: SCA/MTC/047)**

1. JO/WO #	2. DATE	3. MTC TYPE	4. A/C REG/MSN
WO/051-SNG/VI/2023		REPLACEMENT COMPONENT	PK-SNG
5. CARD #	6. ATA SPEC	7. TRADE	8. STA
#02	37		
9. ZONE	10. PANEL		

11. DESCRIPTION

**PERFORM VACUUM RELIEF VALVE FILTER REPLACEMENT**  
**P/N: B3-5-1 / C482001-0202**

REFERENCE	<input checked="" type="checkbox"/> AMM Ch. 37-10-00-961	<input type="checkbox"/> EMM Ch	<input type="checkbox"/> OTHER
RII (*)	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	MHR :

12. RESULT				MECH	ENG	INSP (*)
Performed at A/C TT : ..... A/C TC /LDG : .....						
FINDING	<input type="checkbox"/> Y	<input type="checkbox"/> N	ACT MHR :	DATE/TIME (DD/MM/YY)		
INSPECTION CARD (IC) #						

13. PARTS REQUIRED

DESCRIPTION	PART NO	QTY	REMARK	
			STOCK	STATUS
FILTER ELEMENT	B3-5-1 / C482001-0202	1		

14. TOOLS REQUIRED

DESCRIPTION	PART NO / MODEL	NEXT CALIBRATION DATE	STATUS

## VACUUM DISTRIBUTION - INSPECTION/CHECK

### 1. General

A. This section has the inspections and checks necessary to keep the vacuum distribution system in a serviceable condition.

### TASK 37-10-00-960

### 2. Vacuum System Central Air Filter Discard

**CAUTION: Do not operate the vacuum system with the filter removed or a vacuum line disconnected. Dust and other foreign objects can enter the system and damage the vacuum operated instruments.**

A. General

(1) This task gives the instructions to discard the vacuum system central air filter.

B. Special Tools

(1) None

C. Access

(1) None

D. Discard the Vacuum System Central Air Filter.

(1) Remove the vacuum system central air filter. Refer to Chapter 12, [Vacuum System Central Air Filter - Servicing](#).  
(a) Discard the filter.

(2) Install a new vacuum system central air filter. Refer to Chapter 12, [Vacuum System Central Air Filter - Servicing](#).

E. Restore Access

(1) None

### END OF TASK

### TASK 37-10-00-961

### 3. Vacuum Relief Valve Filter Discard

**CAUTION: Do not operate the vacuum system with the filter removed or a vacuum line disconnected. Dust and other foreign objects can enter the system and damage the vacuum operated instruments.**

A. General

(1) This task gives the instructions to discard the vacuum relief valve filter.

B. Special Tools

(1) None

C. Access

(1) None

D. Discard the Vacuum Relief Valve Filter.

(1) Get access to the relief valve behind the attitude gyro.  
(2) Carefully stretch the foam element filter over the top of the retaining bezel.  
(3) Remove the filter from the relief valve and discard it.  
(4) Stretch a new relief valve filter over the top of the retaining bezel.  
(5) Make sure that the filter is secure on the relief valve.

E. Restore Access

(1) None

### END OF TASK

## VACUUM SYSTEM CENTRAL AIR FILTER - SERVICING

### 1. General

A. The vacuum system central air filter keeps dust and dirt from entering the vacuum operated instruments.

**CAUTION: Do not operate vacuum system with filter removed or vacuum line disconnected, as dust and other foreign matter may enter the system and damage the vacuum operated instruments.**

B. Refer to [Chapter 5, Inspection Time Limits](#) for filter inspection intervals. Replace filter element when damaged and whenever it becomes sufficiently clogged to cause suction gage reading to drop below 4.5 inches Hg (mercury).

**CAUTION: Smoking during system operation will cause premature filter clogging.**

### 2. Servicing

A. Remove Air Filter (Refer to [Figure 301](#)).


- (1) Unscrew bolt and washer from bottom of central air filter.
- (2) Remove central air filter from filter bracket.
- (3) Inspect for damage, deterioration and contamination. Clean or replace as required.

B. Install Air Filter (Refer to [Figure 301](#) ).

- (1) Seat central air filter up and into filter bracket.
- (2) Secure central air filter to filter bracket using bolt and washer.
- (3) Check central air filter for unobstructed flow. A properly functioning filter should allow a reading of at least 4.5 inches Hg (mercury) on the instrument panel suction gage.

Figure 301 : Sheet 1 : Vacuum System Central Air Filter Servicing

A22863



26141069



# MAINTENANCE PROGRAM

## CESSNA 208/208B

### Appendix B08 – PT6A-140 Engine Run Performance Sheet

Reg. Mark : PK -

WO/FML No. :

PRE – INSPECTION	
Location	
Date	
Cycle	
Filed Barometric	
OAT	
Altitude	

POST – INSPECTION	
Location	
Date	
Cycle	
Filed Barometric	
OAT	
Altitude	

PRE – INSPECTION		
	Target	Actual
Tq		
Np		
ITT	°C	°C
Ng	%	%
Wf		
Oil Press	°C	°C
Oil Temp	°C	°C
Start Temp	°C	°C

POST – INSPECTION		
	Target	Actual
Tq		
Np		
ITT	°C	°C
Ng	%	%
Wf		
Oil Press	°C	°C
Oil Temp	°C	°C
Start Temp	°C	°C

Engine Run Up Checks						
Inertial <input type="checkbox"/>	EPL <input type="checkbox"/>	OVG <input type="checkbox"/>	Stby Alt <input type="checkbox"/>	BOV <input type="checkbox"/>	Brake <input type="checkbox"/>	Randown <input type="checkbox"/>
NOTE:						
1. Inertial Separator at Torque 400 ft-lbs.	3. EPL check can't exceed 4% Ng per second.	5. Low idle at 55.5 - 57% 40Amps.	2. Inertial Separator at Torque 400 ft-lbs.	4. Standby Alt at 80% Ng.	6. High idle at 64 - 66% Ng 40Amps	

#### Engine Performance Target Table (Cessna C208B EX)

OAT (°C)	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
Tq (ft.lbs)	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397
Np	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
ITT (°C)	835	837	839	841	841	841	841	841	841	842	843	844	846	846	846
Ng (%)	102.7	102.7	102.7	102.7	102.7	102.7	102.7	102.6	102.6	102.6	102.6	102.6	102.6	102.6	102.5
WF (PPH)	578	578	578	578	578	578	578	570	565	565	560	560	555	548	548

#### Note:

1. Make sure that inertial separator in normal condition, no bleed air extracted from the engine and air condition OFF.
2. This table only applies to altitude 0-500 feet MSL. For higher altitude, refer to EMM 72-00-00.
3. Max fuel flow is 580 lb/hr fuel flow is not more than 15 lbs/hr higher than the value shown in table.
4. If parameters are outside the target performance table to EMM chapter 71-00-00.

**REMARKS:**

PERFORMED BY			
Name	Sign & Stamp	Date	Location



**EMERGENCY EQUIPMENT  
LIST  
INSPECTION & MONITOR**

**PT. SMART CAKRAWALA  
AVIATION  
DEPARTMENT TEKNIK  
Form: SCA/MTC/023**

<b>DATE :</b>	<b>A/C REG : PK-SNG</b>
<b>A/C TYPE : C208B</b>	<b>CHECKER :</b> <b>SIGN:</b>

<b>No.</b>	<b>Description</b>	<b>P/N</b>	<b>S/N</b>	<b>Next Insp.</b>	<b>Remarks</b>
1	<b>Pilot Life Vest</b>				
2	<b>Co-Pilot Life Vest</b>				
3	<b>Pax Life Vest</b>				
4	<b>Pax Life Vest</b>				
5	<b>Pax Life Vest</b>				
6	<b>Pax Life Vest</b>				
7	<b>Pax Life Vest</b>				
8	<b>Pax Life Vest</b>				
9	<b>Pax Life Vest</b>				
10	<b>Pax Life Vest</b>				
11	<b>Pax Life Vest</b>				
12	<b>Pax Life Vest</b>				
13	<b>Firt Aid Kit</b>				
14	<b>Crash Axe Installed</b>				
15	<b>Fire Extinguisher</b>				
16	<b>Life Raft (If Installed)</b>				
17	<b>Survival Kit (If Installed)</b>				
<b>OTHERS</b>					



Aircraft Registration: **PK-SNG**



WO# Nr: **WO/051-SNG/VI/2023**

# **Additional Work Sheet**

## **Inspection 400 Hours &**

### **Additional Task**

#### **Parts Used Sheet**

## Special Tool Used



## **Additional Work Sheet Inspection 400 Hours &**

Aircraft Registration: **PK-SNG**

WO# Nr: **WO/051-SNG/VI/2023**

## Additional Task

## Parts Used Sheet