



PT. SMART CAKRAWALA AVIATION

## WORK ORDER

Form: SCA/MTC/030

|                                                                                                                                                                                                                                                                                      |                                                                                                                                  |                                          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|
| Subject :<br><b>Starter Generator Replacement due at 2979:28 Hours.</b>                                                                                                                                                                                                              | No.                                                                                                                              | WO/077-SNV/IX/2022                       |
|                                                                                                                                                                                                                                                                                      | Date                                                                                                                             | 19 Sept 2022                             |
|                                                                                                                                                                                                                                                                                      | A/C Reg.                                                                                                                         | PK-SNV C208B-5551                        |
| Reference :<br>MP C208B Rev. 12                                                                                                                                                                                                                                                      | Prepared By                                                                                                                      | TS                                       |
|                                                                                                                                                                                                                                                                                      | Checked By                                                                                                                       | CI                                       |
|                                                                                                                                                                                                                                                                                      | Approved By                                                                                                                      | TM                                       |
| To : Engineer In Charge                                                                                                                                                                                                                                                              |                                                                                                                                  |                                          |
| <b>Description :</b><br><br>1. Perform Starter Generator Replacement due at 2979:28 Hours.<br>2. Make an entry in Maintenance Log.<br>3. Return the Completed Work Order and Form to PPC.<br><br>#If any finding, please close the routine card, and transferred to inspection card. |                                                                                                                                  |                                          |
| <b>Additional Work :</b> - NIL                                                                                                                                                                                                                                                       |                                                                                                                                  |                                          |
| Compliance Statement<br><br><i>CARRIED OUT</i>                                                                                                                                                                                                                                       | Sign & Date<br>Company Lic. No.: <i>SCA 021</i><br><br><i>[Signature]</i> 24/09<br><b>RIZAL CAHAYATI</b><br>(Engineer In Charge) | Signature<br><br><br>(Technical Manager) |

**AIRCRAFT CHECK WORK SUMMARY**  
(Form: SCA/MTC/051)

|                                                               |                                     |                               |                      |       |                       |
|---------------------------------------------------------------|-------------------------------------|-------------------------------|----------------------|-------|-----------------------|
| DATE OF ISSUED                                                | JO/WO #                             | TYPE OF MAINTENANCE           | DATE OF ACCOMPLISHED |       |                       |
| 19 Sept 2022                                                  | WO/077-SNV/IX/2022                  | Starter Generator Replacement | 24-09-2022           |       |                       |
|                                                               |                                     |                               |                      |       |                       |
| A/C Type                                                      | Mfg. Serial Number                  | A/C Registration              |                      |       |                       |
| C208B                                                         | C208B-5551                          | PK-SNV                        |                      |       |                       |
| <b>AIRCRAFT DATA</b>                                          |                                     |                               |                      |       |                       |
| Subject                                                       | Pos #                               | Serial Number (SN)            | TTSN/TCSN            |       |                       |
| Engine                                                        | #1                                  | PCE-VA0607                    | 2975:18/4999         |       |                       |
|                                                               | #2                                  | -                             |                      |       |                       |
| Propeller/Rotor                                               | #1                                  | 181160                        | 2975:18/4999         |       |                       |
|                                                               | #2                                  | -                             |                      |       |                       |
| Landing Gear                                                  | NLG                                 |                               | 2975:18/4999         |       |                       |
|                                                               | LH MLG                              |                               | 2975:18/4999         |       |                       |
|                                                               | RH MLG                              |                               | 2975:18/4999         |       |                       |
| <b>PACKAGE COVERED</b>                                        |                                     |                               |                      |       |                       |
| No                                                            | Subject                             | Qty                           | Remark               |       |                       |
| 1                                                             | Non-Routine Card                    | 1                             | #01 ✓                |       |                       |
| 2                                                             | Inspection Card                     | 1                             | ✓                    |       |                       |
| 3                                                             | Work Order                          | 1                             | ✓                    |       |                       |
| 4                                                             | Summary Inspection List             | 1                             | ✓                    |       |                       |
| 5                                                             | Material and Tool List              | -                             |                      |       |                       |
| 6                                                             | Escalation form                     | -                             |                      |       |                       |
| 7                                                             | CRS (SMI / Unscheduled Maintenance) | 1                             | ✓                    |       |                       |
| <b>INSPECTION CARD (IC) LIST (Finding during maintenance)</b> |                                     |                               |                      |       |                       |
| No                                                            | Taskcard Ref                        | Subject                       | Status               |       | Name/<br>Sign & Stamp |
|                                                               |                                     |                               | Open                 | Close |                       |
| <u>IC-001</u>                                                 |                                     |                               |                      |       |                       |
| <u>IC-002</u>                                                 |                                     |                               |                      |       |                       |
| <u>IC-003</u>                                                 |                                     |                               |                      |       |                       |
| <u>IC-004</u>                                                 |                                     |                               |                      |       |                       |
| <u>IC-005</u>                                                 |                                     |                               |                      |       |                       |
| <u>IC-006</u>                                                 |                                     |                               |                      |       |                       |



**SUMMARY INSPECTION ITEMS**  
(Form: SCA/MTC/050)

WO Ref: WO/077-SNV/IX/2022

| NÓ. | TASK<br>CARD NO. | DESCRIPTION                                                                  | DATE         | EST<br>MHR | NAME     | STAMP                                                                               |
|-----|------------------|------------------------------------------------------------------------------|--------------|------------|----------|-------------------------------------------------------------------------------------|
| 1   | 80-10-00         | STARTER GENERATOR REPLACEMENT<br>REMOVED<br>P/N: 300SGL145Q-1<br>S/N: S00714 | 24/22<br>/09 |            | Ridzal G |  |
| 2   | NRC-01           | STARTER GENERATOR REPLACEMENT                                                | 24/22<br>/09 |            | Ridzal G |  |



PT. SMART CAKRAWALA AVIATION

**CERTIFICATE RETURN TO SERVICE**  
SCHEDULED MAINTENANCE INSPECTION  
(CRS-SMI)

|          |               |      |              |
|----------|---------------|------|--------------|
| A/C TYPE | : CESSNA 208B | TTSN | : 2979:18    |
| A/C REG  | : PK-SNV      | TCSN | : 4999       |
| MSN      | : C208B-5551  | DATE | : 24-09-2022 |

TYPE OF INSPECTION : STARTER GENERATOR REPLACEMENT  
DUE AT : 2979:28 HOURS  
REFF : MP 208/208B REV. 12

EXCEPTION

- NO EXCEPTION -

**AUTHORIZED PERSON**

I hereby certify that this aircraft has been maintained accordance with CASR and Maintenance Program.  
Aircraft safe and airworthy for flight

| NAME           | CAT                       | AMEL/OTR NO     | SIGN&STAMP                                                                                                                                                                 | DATE       |
|----------------|---------------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Ridzal Ghazali | AIRFRAME &<br>POWER PLANT | 9694<br>SCA 071 |   | 24/09/2022 |
|                | EIRA                      |                 |                                                                                                                                                                            |            |

THE NEXT DUE TYPE OF INSPECTION : STARTER GENERATOR REPLACEMENT  
DUE AT : 4000 HOURS

Form: SCA/MTC/049



**NON ROUTINE CARD**  
(Form: SCA/MTC/047)

|                    |             |             |                  |
|--------------------|-------------|-------------|------------------|
| 1. JO/WO #         | 2. DATE     | 3. MTC TYPE | 4. A/C REG/MSN   |
| WO/077-SNV/IX/2021 | 24-09-2022  | REPLACEMENT | PK-SNV/208B-5551 |
| 5. CARD #          | 6. ATA SPEC | 7. TRADE    | 8. STA           |
| #01                | 80          |             | KURANG           |
| 9. ZONE            | 10. PANEL   |             |                  |
| ENGINE             |             |             |                  |

11. DESCRIPTION

PERFORM STARTER GENERATOR REPLACEMENT  
REMOVED  
P/N: 300SGL145Q-1  
S/N: S00714

|           |                                                      |                                       |                                |
|-----------|------------------------------------------------------|---------------------------------------|--------------------------------|
| REFERENCE | <input checked="" type="checkbox"/> AMM Ch. 80-10-00 | <input type="checkbox"/> EMM Ch       | <input type="checkbox"/> OTHER |
| RII (*)   | <input type="checkbox"/> Y                           | <input checked="" type="checkbox"/> N | MHR:                           |

|                                                                                                                                                                                                                 |                            |                                       |          |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|---------------------------------------|----------|
| 12. RESULT : PERFORMED STARTER GENERATOR<br>REPLACEMENT, OPS CHECKED WITH GROUND<br>RUN FOUND GOOD<br>INSTALL<br>P/N ON: 300SGL145Q-1<br>S/N ON: S00829<br><br>Performed at A/C TT : 2975118 A/C TC /LDG : 4999 | MECH                       | ENG                                   | INSP (*) |
|                                                                                                                                                                                                                 | Th                         |                                       |          |
| FINDING                                                                                                                                                                                                         | <input type="checkbox"/> Y | <input checked="" type="checkbox"/> N | ACT MHR: |
| INSPECTION CARD (IC) #                                                                                                                                                                                          |                            | DATE/TIME (DD/MM/YY)                  |          |
|                                                                                                                                                                                                                 | 24                         | 09                                    | 22       |

13. PARTS REQUIRED

| DESCRIPTION       | PART NO      | QTY | REMARK |        |
|-------------------|--------------|-----|--------|--------|
|                   |              |     | STOCK  | STATUS |
| STARTER GENERATOR | 300SGL145Q-1 | 1   |        | added  |
|                   |              |     |        |        |
|                   |              |     |        |        |
|                   |              |     |        |        |
|                   |              |     |        |        |

14. TOOLS REQUIRED

| DESCRIPTION | PART NO / MODEL | NEXT CALIBRATION DATE | STATUS |
|-------------|-----------------|-----------------------|--------|
|             |                 |                       |        |
|             |                 |                       |        |
|             |                 |                       |        |
|             |                 |                       |        |
|             |                 |                       |        |

# MAINTENANCE PROGRAM CESSNA C208/C208B

## Appendix A26 – Starter-Generator Replacement

Reg. Mark : PK - SNV  
MSN : C208B-5551  
TSN / CSN : 2975 : 18

Date : 24-09-2022  
Station : KUPANG  
WO No. : WO/077-SNV/IX/2022

| NO.                                                           | ZONE | TASK                                                                                                                                                                                                | SIGNATURE |                                                                                     |
|---------------------------------------------------------------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------------------------------------------------------------------------------------|
|                                                               |      |                                                                                                                                                                                                     | SIGN      | STAMP                                                                               |
| 01                                                            | 130  | For engine PT6A-114A if there is an engine starting fault or an electrical generation defect, inspect the starter generator drive spline and the main oil filter. Refer to EMM Chapter 72-00-00 12Y | N/A       |  |
| 02                                                            | 130  | For engine PT6A-140 if there is an engine starting fault or an electrical generation defect, inspect the starter generator drive spline and the main oil filter. Refer to EMM Task 05-50-00-210-824 | AW        |  |
| *** End of Starter Generator Replacement Inspection Items *** |      |                                                                                                                                                                                                     |           |                                                                                     |

| PERSONNEL PARTICIPATING IN THIS INSPECTION |          |                                                                                      |                |
|--------------------------------------------|----------|--------------------------------------------------------------------------------------|----------------|
| NAME                                       | POSITION | SIGNATURE                                                                            | LICENSE NUMBER |
| RIZDAL GHARALI                             | ENGINEER |  | 7694           |
| LEGIYANTO P                                | MECHANIC |  |                |
|                                            |          |                                                                                      |                |
|                                            |          |                                                                                      |                |

### RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name : Rizdal Gharali Stamp :   
Signature :  Place/Date : KUPANG, 24-09-22



## Additional Work Sheet

WO# Nr: WO/077-SNV/IX/2022

## Parts Used Sheet

## Special Tool Used

[illegible]



Aircraft Registration: **PK-SNV**

WO# Nr: WO/077-SNV/IX/2022

## Parts Used Sheet

## Part Used

[illegible]