



PT. SMART CAKRAWALA AVIATION

WORK ORDER

Form: SCA/MTC/030

Subject:	No.	WO/014-SNJ/II/2022
Inspection Document 06 & Add Task Due at 600 FH	Date	10-February-2022
	A/C Reg.	PK-SNJ C208B-5640
Reference:	Prepared By	TS
MP C208B Rev. 10	Checked By	CI
	Approved By	TM


To : Engineer In Charge

Description :

1. Perform Inspection Document 06 & Add Task Due at 600 FH.
2. Make an entry in Maintenance Log.
3. Return the Completed Work Order and Form to PPC.

#If any finding, please close the routine card, and transferred to inspection card.

Additional Work :



Compliance Statement	Sign & Date Company Lic. No.:  SCA 031 20 Feb 2022 (Engineer In Charge)	Signature (Technical Manager)
----------------------	--	----------------------------------

AIRCRAFT CHECK WORK SUMMARY

(Form: SCA/MTC/051)

DATE OF ISSUED	JO/WO #	TYPE OF MAINTENANCE	DATE OF ACCOMPLISHED	
10-Feb-2022	WO/014-SNJ/II/2022	Inspection Doc. 06 & Add Task	20 Feb 2022	
A/C Type C208B		Mfg. Serial Number C208B-5640	A/C Registration PK-SNJ	
AIRCRAFT DATA				
Subject	Pos #	Serial Number (SN)	TTSN/TCSN	
Engine	#1	PCE-VA0738	596:02 / 761	
	#2	-		
Propeller/Rotor	#1	210140	596:02 / 761	
	#2	-		
Landing Gear	NLG			
	LH MLG			
	RH MLG			
PACKAGE COVERED				
No	Subject		Qty	Remark
1	Non-Routine Card		-	
2	Inspection Card		1	
3	Work Order		1	
4	Summary Inspection List		1	
5	Material and Tool List		-	
6	Escalation form		-	
7	CRS (SMI / Unscheduled Maintenance)		1	

INSPECTION CARD (IC) LIST (Finding during maintenance)

No	Taskcard Ref	Subject	Status		Name/ Sign & Stamp
			Open	Close	
IC-001	32-40-00	Replaced R/H Brake lining Inboard Due to worn out		✓	
IC-002	32-40-00	Replaced L/H Brake lining Inboard and Outboard.		✓	
IC-003	32-40-00	Replaced Bearry Cone R/H MLE		✓	
IC-004	32-40-00	Replaced Bearry Cone Nose LG		✓	
IC-005					
IC-006					

<u>IC-007</u>					
<u>IC-008</u>					
<u>IC-009</u>					
<u>IC-010</u>					
<u>IC-011</u>					
<u>IC-012</u>					
<u>IC-013</u>					
<u>IC-014</u>					
<u>IC-015</u>					

Prepared by:
Technical Support

Checked by:
Chief Maintenance

Verified by:
Chief Inspector

Approved by:
Technical Manager



SUMMARY INSPECTION ITEMS
(Form: SCA/MTC/050)

WO Ref: WO/014-SNJ/II/2022

NO.	TASK CARD NO.	DESCRIPTION	DATE	EST MHR	NAME	STAMP
1	B03	PT6A-140 ENGINE GROUND RUN PERFORMANCE	20/02/2022		Argu.	31
2	CHAPTER 12	INSPECTION DOCUMENT 06	20/02/2022		Argu.	31
3	CHAPTER 51	ENGINE PT6A-140 100 HOUR INSPECTION/ MINOR INSPECTION	20/02/2022		Argu.	31
4	CHAPTER 52	ENGINE PT6A-140 200 HOUR INSPECTION	20/02/2022		Argu.	31
5	CHAPTER 53	ENGINE PT6A-140 200 HOUR/6 MONTHS INSPECTION	20/02/2022		Argu.	31
6	CHAPTER 55	ENGINE PT6A-140 600 HOUR INSPECTION	20/02/2022		Argu.	31
7	SCA/MTC/023	EMERGENCY EQUIPMENT CHECK	20/02/2022		Argu.	31



INSPECTION CARD
(Form: SCA/MTC/048)

TECHNICAL
DEPARTMENT

1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE
IC-001	WO/014-SN3/11/2022		32-40-00	20 Feb 2022
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #	
PK-SN3	C208B-Ex			
9. ZONE	10. STA	11. MTC TYPE		
MLE	TM	Replacement		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE
R/H Brake finning was worn out (Inboard)	<i>BB</i>	20/02/22

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
Removed and Replaced R/H Brake finning with the New. IAW C208B AMM # 32-40-00 Performed at A/C TT: 596:02 A/C TC/LDG: 761	<i>BB</i>	<i>BB</i>	20/02/22

20. CORROSION INFORMATION

LOCATION	CAUSE OF DAMAGE			
	<input type="checkbox"/> Environment			
	<input type="checkbox"/> Internal Leakage			
CORROSION	<input type="checkbox"/> Isolated <input type="checkbox"/> Widespread			
CORROSION LVL	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3			
PROPOSED ACTION	<input type="checkbox"/> Doublers <input type="checkbox"/> Others			
	<input type="checkbox"/> Chemical Spill <input type="checkbox"/> LAV/Galley Spill <input type="checkbox"/> Blocked Drain <input type="checkbox"/> Wet Insulation Blanket <input type="checkbox"/> Other			

21. If the defect is RII, Please Sign this card finally by RII Inspector	INSP	DATE
NOTICE OF INSPECTOR		

22. PARTS REQUIRED						
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS	
			ON	OFF	CLOSE	OPEN
Brake finning	066-15300	4	-	-	<input checked="" type="checkbox"/>	

23. TOOLS REQUIRED					
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE		STATUS	
General tools				OK	
Torque wrench	SJ-800	Jan 2023		OK	




INSPECTION CARD

MINI-EDITION CERTIFICATE
(Form: SCA/MTC/ 048)

TECHNICAL DEPARTMENT

1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE
1C-002	W0/04-SNJ/11/2022		32-40-00	20 Feb 2022
6. A/C REG/MSN	7. ACT TYPE	8. TRADE	12. VENDOR ORDER #	
PK-SNJ	C208B-EX			
9. ZONE	10. STA	11. MTC TYPE		
MLG	TIM	Replacement		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE
4/4. Inboard and Outboard Brake lining was worn out		01/02/2022

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
<p>Removed and Replaced 4/4 Brake Finney with the New 1AW C208B HMT # 32-90-00</p> <p>Performed at A/C TT: 596:02 A/C TC/LDG: 761</p>			20/02/22

20. CORROSION INFORMATION			
LOCATION		CAUSE OF DAMAGE	
		<input type="checkbox"/> Environment	
		<input type="checkbox"/> Internal Leakage	
CORROSION <input type="checkbox"/> Isolated <input type="checkbox"/> Widespread		<input type="checkbox"/> Chemical Spill	
CORROSION LVL <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3		<input type="checkbox"/> LAV/Galley Spill	
PROPOSED ACTION <input type="checkbox"/> Doublers		<input type="checkbox"/> Blocked Drain	
<input type="checkbox"/> Others		<input type="checkbox"/> Wet Insulation Blanket	
		<input type="checkbox"/> Other	
21. If the defect is RII, Please Sign this card finally by RII Inspector			
NOTICE OF INSPECTOR			

		INSPECTION CARD (Form: SCA/MTC/ 048)			TECHNICAL DEPARTMENT		
1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE			
1C-003	W06A-SN/11/2022		52-40-00	20 Feb 2022			
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #				
PK-S43 C208B-5640	C208B-EX						
9. ZONE	10. STA	11. MTC TYPE					
MLG	TIM	Replacement					
13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20					14 PPC/ENG	15 DATE	
<i>R/H MLC Bearing Cone was worn out.</i>						<i>20/02/2022</i>	
16. CORRECTIVE ACTION					17 MECH	18 ENG. LIC	19 DATE
<i>Removed and Replaced R/H Bearing Cone. with the New Part. 1AW C208B AMM # 32-40-00.</i>							<i>20/02/2022</i>
Performed at A/C TT: 596-02 A/C TC/LDG: 761							
20. CORROSION INFORMATION							
LOCATION		CAUSE OF DAMAGE					
		<input type="checkbox"/> Environment <input type="checkbox"/> Internal Leakage <input type="checkbox"/> Chemical Spill <input type="checkbox"/> LAV/Galley Spill <input type="checkbox"/> Blocked Drain <input type="checkbox"/> Wet Insulation Blanket <input type="checkbox"/> Other					
CORROSION <input type="checkbox"/> Isolated <input type="checkbox"/> Widespread							
CORROSION LVL <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3							
PROPOSED ACTION <input type="checkbox"/> Doublers <input type="checkbox"/> Others							
21. If the defect is RII, Please Sign this card finally by RII Inspector							
NOTICE OF INSPECTOR							
22. PARTS REQUIRED							
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS		
			ON	OFF	CLOSE	OPEN	
Bearing Cone	214-01400	1	-	-	✓		
23. TOOLS REQUIRED							
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE			STATUS		
General Tools	-	-			OK		



INSPECTION CARD

(Form: SCA/MTC/048)

TECHNICAL
DEPARTMENT

1. CARD #	2. JOWO #	3. ORIGINATOR	4. CARD REF	5. DATE
1C -004	W0/04 -SNJ/11/2022		32-20-00	20 Feb 2022
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #	
PK-SHJ C208B-5640	C208B -EA			
9. ZONE	10. STA	11. MTC TYPE		
NL6	TM	Replacement		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE
Nose landing Gear Bearing Cone was worn out.	<i>SP</i>	20/02/2022

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
Removed and Replaced Nose Bearing Cone with the New. 1AW C208B AMM # 32-20-00 Performed at A/C TT: 596:02 AC TC/LDG: 761	<i>SP</i>	<i>SP</i>	20/02/2022
20. CORROSION INFORMATION			
LOCATION	CAUSE OF DAMAGE		
	<input type="checkbox"/> Environment	<input type="checkbox"/> Internal Leakage	
	<input type="checkbox"/> Chemical Spill	<input type="checkbox"/> LAV/Galley Spill	
CORROSION	<input type="checkbox"/> Isolated	<input type="checkbox"/> Widespread	
CORROSION LVL	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3
PROPOSED ACTION	<input type="checkbox"/> Doublers	<input type="checkbox"/> Blocked Drain	
	<input type="checkbox"/> Others	<input type="checkbox"/> Wet Insulation Blanket	
	<input type="checkbox"/> Other		
21. If the defect is RII, Please Sign this card finally by RII Inspector	INSP	DATE	
NOTICE OF INSPECTOR			

22. PARTS REQUIRED						
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS	
			ON	OFF	CLOSE	OPEN
Bearing Cone.	219-00200	2	-	-	<input checked="" type="checkbox"/>	
23. TOOLS REQUIRED						
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE		STATUS		
General Tools	-	-		OK		



MAINTENANCE PROGRAM
CESSNA C208/C208B

Appendix B03 – PT6A-140 Engine Run Performance Sheet

Reg. Mark : PK-SAB

WO/FML No. :

PRE – INSPECTION	
Location	TIM
Date	19 Feb 2022
Cycle	
Filed Barometric	29,92 inHg
OAT	31
Altitude	100

POST – INSPECTION	
Location	TIM
Date	20 Feb 2022
Cycle	
Filed Barometric	29,92 inHg
OAT	33
Altitude	120

PRE – INSPECTION		
	Target	Actual
Tq	2397	2379
Np	1900	1890
ITT	891 °C	808 °C
Ng	102,7 %	100,3 %
Wf	578	539
Oil Press		98 °C
Oil Temp		55 °C
Start Temp		710 °C

POST – INSPECTION		
	Target	Actual
Tq	2397	2379
Np	1900	1890
ITT	891 °C	809 °C
Ng	102,7 %	100,5 %
Wf	578	536
Oil Press		95 °C
Oil Temp		64 °C
Start Temp		685 °C

Engine Run Up Checks

Inertial EPL OVG Stby Alt BOV Brake Random

NOTE:

1. Brake system at Torque 2000 ft-lbs. 3. EPL check can't exceed 4% Ng per second. 5. Low idle at 55.5 - 57% 40Amps.
2. Inertial Separator at Torque 400 ft-lbs. 4. Standby Alt at 80% Ng. 6. High idle at 64 - 66% Ng 40Amps

Engine Performance Target Table (Cessna C208B EX)

OAT (°C)	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
Tq (ft.lbs)	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397
Np	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
ITT (°C)	835	837	839	841	841	841	841	841	841	842	843	844	846	846	846
Ng (%)	102.7	102.7	102.7	102.7	102.7	102.7	102.7	102.6	102.6	102.6	102.6	102.6	102.6	102.6	102.5
WF (PPH)	578	578	578	578	578	578	578	570	565	565	560	560	555	548	548

Note:

1. Make sure that inertial separator in normal condition, no bleed air extracted from the engine and air condition OFF.
2. This table only applies to altitude 0-500 feet MSL. For higher altitude, refer to EMM 72-00-00.
3. Max fuel flow is 580 lb/hr fuel flow is not more than 15 lbs/hr higher than the value shown in table.
4. If parameters are outside the target performance table to EMM chapter 71-00-00.

REMARKS:

PERFORMED BY			
Name	Sign & Stamp	Date	Location
D. Arya Perman	 31	20 Feb 2022	TIM

Revision No. : 03

SCA/TEK/1-001

26 September 2019

Page B03.1



MAINTENANCE PROGRAM

CESSNA C208/C208B

Chapter 12 - Inspection Document 06

Reg. Mark	: PK-SM3	Date	: 20 Feb 2022
MSN	: C208B-5640	Station	: T1M
TSN / CSN	: 596:02 / 761	WO No.	: WO/014-8N13/11/2022

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
A110001	ALL	Interior and Exterior Placard and Decal Detailed Inspection Task 11-00-00-220		
D121001	121	Brake System Servicing Task 12-10-01-610		
D121003	710	Shimmy Damper Servicing Task 12-10-01-611		
C122101	700	Landing Gear Lubrication Task 12-21-03-640		
B236001	343 375 376 571 671	Static Discharge System Functional Check Task 23-60-00-720		
A255101	251 252 255 256 257 258	Cargo Nets Detailed Inspection Task 25-51-00-220		
C270001	215 216 226 373 374 503 525 603 625	Flight Controls Lubrication Task 27-00-00-640		
B273101	211 212 503	Stall Warning System Operational Check Task 27-31-00-710		
C275001	525 527 625 627	Flap Tracks and Rollers Lubrication Task 27-50-00-640		
B281001	575 675	Fuel Vent Line Float Valve Operational Check Task 28-10-03-710		
A281001	521 621	Fuel Filler Assembly Detailed Inspection Task 28-10-01-220		
B301003	122-AUX	Bleed Air Pressure Regulator Functional Check (without TKS and not incorporating CAB93-2) Task 30-10-00-720		
B322001	710	Shimmy Damper Functional Check Task 32-20-02-720		




MAINTENANCE PROGRAM

CESSNA C208/C208B

Chapter 12 – Inspection Document 06

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
B341101	AUX	Pitot Tube Heaters Operational Check Task 34-11-00-710		
A353001	256	Oxygen Mask Detailed Inspection Task 35-30-00-220		
B761003	AUX	Emergency Power Lever Annunciator Light (EPL) Operational Check Task 76-10-01-710		
*** End of Inspection Document 06 Items ***				

PERSONNEL PRTICIPATING IN THIS INSPECTION			
NAME	POSITION	SIGNATURE	LICENSE NUMBER
Arya P.	Engineer		9805
Cep Nania P	Mechanic		

RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name : D. Arya Permana Stamp : 
Signature :  Place/Date : TIM / 20 Feb 2022



MAINTENANCE PROGRAM

CESSNA C208/C208B

Chapter 51 – Engine PT6A-140 100 Hours/Minor Inspection

Reg. Mark	: PK-SNJ	Date	: 20 Feb 2022
MSN	: C208B-5640	Station	: TIM
TSN / CSN	: 596:02/761	WO No.	: WO/01A - SNJ/11/2022

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
F710001	130	Do a check of the FCU manual override system for static operation. For the engines installed with a manual override system only.		
F710003	130	Do a compressor performance recovery wash		
F720000	130	Do a visual inspection of the Control Linkages and wiring.		
F720001	130	Do a visual inspection of the engine exhaust duct welds.		
F720002	130	Do a visual inspection of the engine exhaust duct for cracks.		
F720003	130	Do a visual inspection of the gas generator case and the center fireseal.		
F720004	130	Do a visual inspection of the rear fireseal mounting ring.		
F722001	130	Do a visual inspection of the air inlet screen.		
F723000	130	Do a visual inspection with a mirror or a borescope inspection of the First-stage Compressor Rotor and the inlet case for corrosion		
F725005	130	Do a detailed inspection of the turbine exhaust duct.		
F731002	130	Do a check for the fuel pump installation and leaks.		
F731003	130	Do a check of the oil-to- fuel heater installation		
F731035	130	Do a visual Inspection of the Fuel - Oil Heat Exchanger Fuel Filter Element (CLEANING / REPLACEMENT) P/N OFF: AN6235-3A P/N ON: AN6235-34		



MAINTENANCE PROGRAM

CESSNA C208/C208B

Chapter 51 – Engine PT6A-140 100 Hours/Minor Inspection

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
F731006	130	Do a check of the drain valve for installation and leaks		
F731007	130	Do a check of the flow divider for installation and leaks.		
F731008	130	Do a visual inspection of the P3 filter and drain valve.		
F731015	130	Do a visual inspection of Fuel Pump outlet filter. (CLEANING / REPLACEMENT) P/N OFF: <u>AN 6235-7A</u> P/N ON: <u>AN 6235-3A</u>		
F731018	130	Clean or replace the P3 filter based on condition, service experience or environment. Note: If corosions are found, replace filter.		
F732001	130	Do a check of the FCU for installation, linkages and pneumatic tubes.		
F792000	130	Inspect and clean oil filter for debris.		
*** End of Engine PT6A-140 100 Hours Inspection Items ***				

PERSONNEL PRTICIPATING IN THIS INSPECTION			
NAME	POSITION	SIGNATURE	LICENSE NUMBER
Arya P	Engineer		9505
Cep Nana P	Mechanic		

RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name : D. Arya Permana Stamp :

Signature : Place/Date : TIM / 20 Feb 2022



MAINTENANCE PROGRAM

CESSNA C208/C208B

Chapter 52 – Engine PT6A-140 200 Hours Inspection

Reg. Mark	: PK-SNJ.	Date	: 20 Feb 2022
MSN	: C208 B-5690	Station	: T/M
TSN / CSN	: 596.02/761	WO No.	: WO/014-SNJ/1/2022

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
F793001	130	Do a visual inspection of the chip detector for debris.		
*** End of Engine PT6A-140 200 Hours Inspection Items ***				

PERSONNEL PRTICIPATING IN THIS INSPECTION			
NAME	POSITION	SIGNATURE	LICENSE NUMBER
Arya P. Cep Nama P	Engineer Mechanic		9505

RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name	: D. Arya Permono.	Stamp	: 
Signature	: 	Place/Date	: T/M / 20 Feb 2022



MAINTENANCE PROGRAM

CESSNA C208/C208B

Chapter 53 – Engine PT6A-140 200 Hours or 6 Months Inspection

Reg. Mark	: PK-SNJ	Date	: 20 Feb 2022
MSN	: C208B-5640	Station	: TM
TSN / CSN	: S96:02/761	WO No.	: W0614-SNJ/11/2022

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
F793000	130	Do a visual inspection of the AGB internal scavenge oil pump inlet screen		
*** End of Engine PT6A- 140 200 Hours or 6 Months Inspection Items ***				

PERSONNEL PRTICIPATING IN THIS INSPECTION			
NAME	POSITION	SIGNATURE	LICENSE NUMBER
Arja P	Engineer		7805
Cep Nama P	Mechanic		

RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name	: D. Arja Pernama	Stamp	:
Signature	:	Place/Date	: TM/20 Feb 2022



MAINTENANCE PROGRAM

CESSNA C208/C208B

Chapter 55 – Engine PT6A-140 600 Hours Inspection

Reg. Mark	: PK-SNLJ	Date	: 20 Feb 2022
MSN	: C208B-5640	Station	: TIM
TSN / CSN	: 596-02/761	WO No.	: WO/014-SNLJ/11/2022

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
F731005		Do a visual inspection of the fuel pump inlet screen.		
F753001		Do a visual inspection of the compressor bleed valve.		
F793002		Do a functional check of the chip detector.		

*** End of Engine PT6A-140 600 Hours Inspection Items ***

PERSONNEL PRTICIPATING IN THIS INSPECTION			
NAME	POSITION	SIGNATURE	LICENSE NUMBER
Arya P Cpl Nenita P	Engineer Mechanic		9805

RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name	: D. Arya Pernona	Stamp	:
Signature	:	Place/Date	: TIM / 20 Feb 2022



Additional Work Sheet
Inspection Doc. 06 & Add Task

Aircraft Registration:

PK-SNI

WO# Nr.: WO/014-SNJ/II/2022

Parts Used Sheet

Special Tool Used		Due Date
No.	Description	
1.	Torque wrench.	Jan 20.
2.	Microrometer	Aug 20
3.	Pressure Gauge.	March 20
4.	Capstan.	Jan 202

No.	Description	Special Tool Used	Due Date	Engineer
1.	Torque wrench.		Jan 2023.	OF
2.	Micro marker.		Aug 2023	OF
3.	Pressure Gauge.		March 2022	OF
4.	Cupiper.		Jan 2023.	OF



Aircraft Registration:

PK-SNJ

WO# Nr.:

卷之二

Parts Used Sheet

Additional Work Sheet
Inspection Doc. 06 & Add Task

Part Used	Date	Part Nr.	Serial Nr.	Description	Qty	Engineer
20 Feb 2022	066 - 15300	-	-	Brake lining	1/2	
20 Feb 2022	PT6A - 140 K1Y	-	-	100 / 40s K1Y	1 K1Y	
20 Feb 2022	214 - 01400	-	-	Bearing Cone NL6	1	
20 Feb 2022	214 - 00200	-	-	Bearing Cone NL6	2	



PT. SMART CAKRAWALA AVIATION

CERTIFICATE RETURN TO SERVICE
SCHEDULED MAINTENANCE INSPECTION
(CRS-SMI)

A/C TYPE	: CESSNA 208B	TTSN	: 596:02
A/C REG	: PK-SNJ	TCSN	: 761
MSN	: C208B-5640	DATE	: 20-02-2022


TYPE OF INSPECTION	: INSPECTION DOC. 06 & ADD TASK
DUE AT	: 600 FH
REF	: MP C208B REV. 10

EXCEPTION

- No Exception

AUTHORIZED PERSON

I hereby certify that this aircraft has been maintained accordance with CASR and Maintenance Program.
Aircraft safe and airworthy for flight

NAME	CAT	AMEL/OTR NO	SIGN&STAMP	DATE
D. Arya Permana	AIRFRAME & POWER PLANT	9505/SCA031	 / 31	20 Feb 2022
-	EIRA	-	-	

THE NEXT DUE TYPE OF INSPECTION : 100 Hrs.

DUE AT : 700 Hrs

Form: SCA/MTC/049

	EMERGENCY EQUIPMENT LIST INSPECTION & MONITOR	PT. SMART CAKRAWALA AVIATION DEPARTMENT TEKNIK Form: SCA/MTC/023
---	--	--

DATE : <i>20 Feb 2022</i>	A/C REG : <i>PK-SNJ</i>
A/C TYPE : <i>C2088-EX</i>	CHECKER : <i>Arya. P</i> SIGN: <i>[Signature]</i>

No.	Description	P/N	S/N	Next Insp.	Remarks
1	Pilot Life Vest	P 01202 - 201	19080030021	May 2029	Serviceable
2	Co-Pilot Life Vest	P 01202 - 201	21071600005	May 2029	Serviceable
3	Pax Life Vest				
4	Pax Life Vest				
5	Pax Life Vest				
6	Pax Life Vest				
7	Pax Life Vest				
8	Pax Life Vest				
9	Pax Life Vest				
10	Pax Life Vest				
11	Pax Life Vest				
12	Pax Life Vest				
13	Firt Aid Kit	NPN	0721-2116	July 2022	ok
14	Crash Axe Installed	NPN	NSN	-	ok
15	Fire Extinguisher	C 352	G 18292067	Sept 2026	ok
16	Life Raft (If Installed)				
17	Survival Kit (If Installed)				
OTHERS					
18	<i>Flash light</i>	NPN	NSN	-	ok