



PT. SMART CAKRAWALA AVIATION

## WORK ORDER

Form: SCA/MTC/030

|                                            |             |                      |
|--------------------------------------------|-------------|----------------------|
| Subject :                                  | No.         | WO/106-SNS/VIII/2022 |
| Inspection 100 Hours Due at 5879:00 Hours. | Date        | 5 AUGUST 2022        |
|                                            | A/C Reg.    | PK-SNS C208B-2341    |
| Reference :<br>MP C208B Rev. 12            | Prepared By | TS                   |
|                                            | Checked By  | CI                   |
|                                            | Approved By | TM                   |
| To : Engineer In Charge                    |             |                      |



### Description :

1. Perform Inspection 100 Hours Due at 5879.00 Hours.
2. Make an entry in Maintenance Log.
3. Return the Completed Work Order and Form to PPC.


#If any finding, please close the routine card, and transferred to inspection card.

### Additional Work :

REF TO. IC. LIST

|                      |                                                                                                                                                                                    |                                                                                                                          |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Compliance Statement | Sign & Date<br>Company Lic. No.:<br><br>DENI SOBAYU 2632<br>11-AUG-2022<br>(Engineer In Charge) | Signature<br><br>(Technical Manager) |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|

**AIRCRAFT CHECK WORK SUMMARY**  
(Form: SCA/MTC/051)

|                                                               |                                     |                                   |                         |                                                                                       |
|---------------------------------------------------------------|-------------------------------------|-----------------------------------|-------------------------|---------------------------------------------------------------------------------------|
| DATE OF ISSUED                                                | JOWO #                              | TYPE OF MAINTENANCE               | DATE OF ACCOMPLISHED    |                                                                                       |
| 5 AUG 2022                                                    | WO/106-SNS/VIII/2022                | Inspection 100 Hours              | 11 AUG 2022             |                                                                                       |
| A/C Type                                                      |                                     | Mfg. Serial Number                | A/C Registration        |                                                                                       |
| C208B                                                         |                                     | C208B-2341                        | PK-SNS                  |                                                                                       |
| <b>AIRCRAFT DATA</b>                                          |                                     |                                   |                         |                                                                                       |
| Subject                                                       | Pos #                               | Serial Number (SN)                | TTSN/TCSN               |                                                                                       |
| Engine                                                        | #1                                  | PCE-PC1037 / 1588                 | 2940:18 / 3746          |                                                                                       |
|                                                               | #2                                  | -                                 |                         |                                                                                       |
| Propeller/Rotor                                               | #1                                  | 111120                            | 1994:13 / 1994:13       |                                                                                       |
|                                                               | #2                                  | -                                 |                         |                                                                                       |
| Landing Gear                                                  | NLG                                 |                                   | 645875:44 / 6436        |                                                                                       |
|                                                               | LH MLG                              |                                   | 5875:44 / 6436          |                                                                                       |
|                                                               | RH MLG                              |                                   | 5875:44 / 6436          |                                                                                       |
| <b>PACKAGE COVERED</b>                                        |                                     |                                   |                         |                                                                                       |
| No                                                            | Subject                             | Qty                               | Remark                  |                                                                                       |
| 1                                                             | Non-Routine Card                    | -                                 |                         |                                                                                       |
| 2                                                             | Inspection Card                     | 1                                 |                         |                                                                                       |
| 3                                                             | Work Order                          | 1                                 |                         |                                                                                       |
| 4                                                             | Summary Inspection List             | 1                                 |                         |                                                                                       |
| 5                                                             | Material and Tool List              | -                                 |                         |                                                                                       |
| 6                                                             | Escalation form                     | -                                 |                         |                                                                                       |
| 7                                                             | CRS (SMI / Unscheduled Maintenance) | 1                                 |                         |                                                                                       |
| <b>INSPECTION CARD (IC) LIST (Finding during maintenance)</b> |                                     |                                   |                         |                                                                                       |
| No                                                            | Taskcard Ref                        | Subject                           | Status<br>Open    Close | Name/<br>Sign & Stamp                                                                 |
| <u>IC-001</u>                                                 | REPLACED.                           | IGNITOR PLUG<br>R/H SIDE WORN OUT | ✓                       |  |
| <u>IC-002</u>                                                 |                                     |                                   |                         |                                                                                       |
| <u>IC-003</u>                                                 |                                     |                                   |                         |                                                                                       |
| <u>IC-004</u>                                                 |                                     |                                   |                         |                                                                                       |
| <u>IC-005</u>                                                 |                                     |                                   |                         |                                                                                       |
| <u>IC-006</u>                                                 |                                     |                                   |                         |                                                                                       |


|        |  |  |  |  |  |
|--------|--|--|--|--|--|
| IC-007 |  |  |  |  |  |
| IC-008 |  |  |  |  |  |
| IC-009 |  |  |  |  |  |
| IC-010 |  |  |  |  |  |
| IC-011 |  |  |  |  |  |
| IC-012 |  |  |  |  |  |
| IC-013 |  |  |  |  |  |
| IC-014 |  |  |  |  |  |
| IC-015 |  |  |  |  |  |

Prepared by :  
Technical Support


Checked by :  
Chief Maintenance


Verified by :  
Chief Inspector

Approved by :  
Technical Manager

  
Dwi M.

  
Dodit

  
Yanuar

  
Istiono



SUMMARY INSPECTION ITEMS  
(Form: SCA/MTC/050)

WO Ref: WO/106-SNS/VIII/2022

| NO. | TASK<br>CARD NO. | DESCRIPTION                                                | DATE        | EST<br>MHR | NAME        | STAMP                                                                               |
|-----|------------------|------------------------------------------------------------|-------------|------------|-------------|-------------------------------------------------------------------------------------|
| 1   | B02              | PT6A-114A ENGINE GROUND RUN<br>PERFORMANCE                 | 11/AUG/2022 |            | DENI SOBALI |  |
| 2   | CHAPTER<br>44    | ENGINE PT6A-114A 100 HOURS<br>INSPECTION/ MINOR INSPECTION | 11/AUG/2022 |            | DENI SOBALI |  |
| 3   | OOP34001         | UPDATE NAVIGATION DATABASE                                 | 11/AUG/2022 |            | DENI SOBALI |  |
| 4   | SCA/MTC/<br>023  | EMERGENCY EQUIPMENT<br>CHECKLIST                           | 11/AUG/2022 |            | DENI SOBALI |  |



PT. SMART CAKRAWALA AVIATION

**CERTIFICATE RETURN TO SERVICE**  
SCHEDULED MAINTENANCE INSPECTION  
(CRS-SMI)

A/C TYPE : CESSNA 208B  
A/C REG : PK-SNS  
MSN : C208B-2341

TTSN : 5875:44  
TCSN : 6436  
DATE : 11 AUG 2022


TYPE OF INSPECTION : INSPECTION 100 HOURS  
DUE AT : 5879:00 HOURS  
REFF : MP C208B REV. 102

EXCEPTION

-NIL-

**AUTHORIZED PERSON**


I hereby certify that this aircraft has been maintained accordance with CASR and Maintenance Program.  
Aircraft safe and airworthy for flight

| NAME       | CAT                    | AMEL/OTR NO   | SIGN&STAMP                                                                           | DATE        |
|------------|------------------------|---------------|--------------------------------------------------------------------------------------|-------------|
| DENI SOBAY | AIRFRAME & POWER PLANT | 9632 / SCA 20 |  | 11-AUG 2022 |
|            | EIRA                   |               |                                                                                      |             |

THE NEXT DUE TYPE OF INSPECTION : 400:00 FH.

DUE AT : 5979:00 HOURS

Form: SCA/MTC/049

|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
|----------------------------------------------------------------------------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|---------------------------------|------|
|                               |                      | <b>INSPECTION CARD</b><br>(Form: SCA/MTC/ 048)                                                                                                                                                                                                                                                           |                                                                                     |                                                                                              | <b>TECHNICAL<br/>DEPARTMENT</b> |      |
| 1. CARD #                                                                                                      | 2. JO/WO #           | 3. ORIGINATOR                                                                                                                                                                                                                                                                                            | 4. CARD REF                                                                         | 5. DATE                                                                                      |                                 |      |
| IC-001                                                                                                         | WO/106-SNS/VIII/2022 |                                                                                                                                                                                                                                                                                                          | REPLACED                                                                            | 11 AUG 2022                                                                                  |                                 |      |
| 6. A/C REG/MSN                                                                                                 | 7. A/C TYPE          | 8. TRADE                                                                                                                                                                                                                                                                                                 | 12. VENDOR ORDER #                                                                  |                                                                                              |                                 |      |
| PK-SNS/2341                                                                                                    | C208B                | POWER PLANT                                                                                                                                                                                                                                                                                              |                                                                                     |                                                                                              |                                 |      |
| 9. ZONE                                                                                                        | 10. STA              | 11. MTC TYPE                                                                                                                                                                                                                                                                                             |                                                                                     |                                                                                              |                                 |      |
|                                                                                                                | MERAUKE              | REPLACEMENT                                                                                                                                                                                                                                                                                              |                                                                                     |                                                                                              |                                 |      |
| 13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20                                  |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     | 14                                                                                           | 15                              |      |
|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     | PPC/ENG                                                                                      | DATE                            |      |
| IGNITER R/H SIDE WORN OUT                                                                                      |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     | DENT                                                                                         | 11 AUG 22                       |      |
|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| 16. CORRECTIVE ACTION                                                                                          |                      |                                                                                                                                                                                                                                                                                                          | 17                                                                                  | 18                                                                                           | 19                              |      |
|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          | MECH                                                                                | ENG. LIC                                                                                     | DATE                            |      |
| REPLACED IGNITER WITH NEW<br>PER. C208B CHAPTER 74-20-00<br><br>Performed at A/C TT: 5875:44 A/C TC /LDG: 6436 |                      |                                                                                                                                                                                                                                                                                                          |  | DENT<br> | 11 AUG 22                       |      |
|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| 20. CORROSION INFORMATION                                                                                      |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| LOCATION                                                                                                       |                      | CAUSE OF DAMAGE                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
|                                                                                                                |                      | <input type="checkbox"/> Environment<br><input type="checkbox"/> Internal Leakage<br><input type="checkbox"/> Chemical Spill<br><input type="checkbox"/> LAV/Galley Spill<br><input type="checkbox"/> Blocked Drain<br><input type="checkbox"/> Wet Insulation Blanket<br><input type="checkbox"/> Other |                                                                                     |                                                                                              |                                 |      |
| CORROSION <input type="checkbox"/> Isolated <input type="checkbox"/> Widespread                                |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| CORROSION LVL <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3                 |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| PROPOSED ACTION <input type="checkbox"/> Doublers <input type="checkbox"/> Others                              |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| 21. If the defect is RII, Please Sign this card finally by RII Inspector                                       |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     | INSP                                                                                         | DATE                            |      |
| NOTICE OF INSPECTOR                                                                                            |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| 22. PARTS REQUIRED                                                                                             |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| PART DESCRIPTION                                                                                               | PART NO              | QTY                                                                                                                                                                                                                                                                                                      | SERIAL NO                                                                           |                                                                                              | STATUS                          |      |
|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          | ON                                                                                  | OFF                                                                                          | CLOSE                           | OPEN |
| IGNITER                                                                                                        | CH 34055             | 1ea                                                                                                                                                                                                                                                                                                      | -                                                                                   | -                                                                                            | ✓                               |      |
|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| 23. TOOLS REQUIRED                                                                                             |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
| DESCRIPTION                                                                                                    | PART NO. / MODEL     | NEXT CALIBRATION DATE                                                                                                                                                                                                                                                                                    |                                                                                     | STATUS                                                                                       |                                 |      |
| GENERAL TOOL                                                                                                   | -                    | -                                                                                                                                                                                                                                                                                                        |                                                                                     | Good                                                                                         |                                 |      |
|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |
|                                                                                                                |                      |                                                                                                                                                                                                                                                                                                          |                                                                                     |                                                                                              |                                 |      |



# MAINTENANCE PROGRAM CESSNA C208/C208B

## Appendix B02 – PT6A-114A Engine Run Performance Sheet

Reg. Mark : PK - SNS

WO/FML No. : WO/106-SNS/VIII/2022

| PRE – INSPECTION |            |
|------------------|------------|
| Location         | MKA        |
| Date             | 10-08-2022 |
| Cycle            | 1          |
| Filed Barometric | 1011       |
| OAT              | 29°C       |
| Altitude         | 20 FT      |

| POST – INSPECTION |            |
|-------------------|------------|
| Location          | MKA        |
| Date              | 11-08-2022 |
| Cycle             | 1          |
| Filed Barometric  | 1010       |
| OAT               | 27°C       |
| Altitude          | 30 FT      |

| PRE – INSPECTION |        |        |
|------------------|--------|--------|
|                  | Target | Actual |
| Tq               | 1865   | 1865   |
| Np               | 1900   | 1880   |
| ITT              | 778 °C | 711 °C |
| Ng               | 99 %   | 99.6 % |
| Wf               | 450    | 432    |
| Oil Press        |        | 93 °C  |
| Oil Temp         |        | 77 °C  |
| Start Temp       |        | 750 °C |

| POST – INSPECTION |        |        |
|-------------------|--------|--------|
|                   | Target | Actual |
| Tq                | 1865   | 1865   |
| Np                | 1900   | 1898   |
| ITT               | 772 °C | 715 °C |
| Ng                | 98.5 % | 99.0 % |
| Wf                | 450    | 430    |
| Oil Press         |        | 93 °C  |
| Oil Temp          |        | 66 °C  |
| Start Temp        |        | 725 °C |

### Engine Run Up Checks

Inertial ☒ EPL ☒ OVG ☒ Stby Alt ☒ BOV ☒ Brake ☒ Randomn ☒

#### NOTE:

1. Brake system at Torque 1500 ft-lbs.
2. Inertial Separator at Torque 400 ft-lbs.
3. EPL check can't exceed 4% Ng per second.
4. Standby Alt at 80% Ng.
5. Low idle at 52.5 – 53.5% 40Amps.
6. High idle at 64 - 66% Ng 40Amps.

Engine Performance Target Table Cessna C208

| OAT (°C)    | 27   | 28   | 29   | 30   | 31   | 32   | 33   | 34   | 35   | 36   | 37   | 38    | 39    | 40    | 41    |
|-------------|------|------|------|------|------|------|------|------|------|------|------|-------|-------|-------|-------|
| Tq (ft.lbs) | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865 | 1865  | 1865  | 1865  | 1865  |
| Np          | 1900 | 1900 | 1900 | 1900 | 1900 | 1900 | 1900 | 1900 | 1900 | 1900 | 1900 | 1900  | 1900  | 1900  | 1900  |
| ITT (°C)    | 772  | 775  | 778  | 780  | 785  | 790  | 793  | 795  | 797  | 800  | 800  | 800   | 802   | 805   | 810   |
| Ng (%)      | 98.5 | 98.5 | 99   | 99   | 99.1 | 99.2 | 99.4 | 99.5 | 99.5 | 100  | 100  | 100.2 | 100.5 | 100.7 | 100.9 |
| WF (PPH)    | 450  | 450  | 450  | 450  | 450  | 450  | 450  | 450  | 450  | 450  | 450  | 450   | 448   | 448   | 446   |

#### Note:

1. Make sure that inertial separator in normal condition, no bleed air extracted from the engine and air condition OFF.
2. This table only applies to altitude 0-500 feet MSL. For higher altitude, refer to EMM 72-00-00.
3. Max fuel flow is 465 lb/hr fuel flow is not more than 15 lbs/hr higher than the value shown in table.
4. If parameters are outside the target performance table to EMM chapter 71-00-00.

#### REMARKS:

#### PERFORMED BY

| Name   | Sign & Stamp | Date      | Location |
|--------|--------------|-----------|----------|
| DEAN J |              | 11 AUG 22 | MKA      |











Revision No. : 03  
SCA/TEK/1-001  
26 September 2019















Page B02.1

# MAINTENANCE PROGRAM CESSNA C208/C208B

## Chapter 44 – Engine PT6A-114A 100 Hours/Minor Inspection

Reg. Mark : PK - SNS Date : 11 AUG 2022  
MSN : C208B-2341 Station : MKR  
TSN / CSN : 5875:44 / 6436 WO No. : WO/106-SNS/VIII/2022

| ITEM CODE NO. | ZONE | TASK                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | SIGNATURE                                                                             |                                                                                       |
|---------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|               |      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | SIGN                                                                                  | STAMP                                                                                 |
| E710001       | 130  | Do a check of the FCU manual override system for static operation.                                                                                                                                                                                                                                                                                                                                                                                                              |    |    |
| E710003       | 130  | Do a compressor performance recovery wash.                                                                                                                                                                                                                                                                                                                                                                                                                                      |    |    |
| E710004       | 130  | Inspect all accessible connections, clamps and brackets for attachment. Inspect accessible lockwire and safety cable for security and installation.                                                                                                                                                                                                                                                                                                                             |    |    |
| E710005       | 130  | Inspect of wear, chafing, cracks and corrosion for tubing, wiring, control linkage, hose assemblies.<br><b>NOTE:</b> Visually inspect insulated air tubes for signs of swelling, cracking, bulging of rubber sheath material. Refer to repair section and SB1687. Replace as necessary.                                                                                                                                                                                         |    |    |
| E710006       | 130  | Examine linkages. Pay particular attention to rear linkage cam box, fuel control unit arm, telescopic rod and rod end fittings. Disconnect rod ends and clean using solvent (PWC11-027) or (PWC11-031). Lubricate with light grease (PWC04-001) after engine external wash. Examine rod end for corrosion, roughness in rotation, side play and radial play. After lubrication reinstall rod ends and torque to specified value (Ref 76-10-00). Check free movement of linkage. |  |  |
| E710007       | 130  | Inspect attachment and linkages, air, oil and fuel lines (Ref. 73-10-07/-08).<br><b>NOTE:</b> Visually inspect insulated air tubes for signs of swelling, cracking, bulging of rubber sheath material. Refer to repair section and SB1687. Replace as necessary.                                                                                                                                                                                                                |  |  |
| E710011       | 130  | Performed Deceleration Check<br>4 sec                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |
| E720001       | 130  | Do a visual inspection of the engine exhaust duct welds.                                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |
| E720002       | 130  | Do a visual inspection of the engine exhaust duct for cracks.                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |
| E720003       | 130  | External surfaces, and fireseal mount ring brackets for cracks, distortion, and corrosion of gas generator case (Ref. 72-30-04).                                                                                                                                                                                                                                                                                                                                                |  |  |

| ITEM CODE NO.                                              | ZONE | TASK                                                                                                                                                                | SIGNATURE                                                                             |                                                                                       |
|------------------------------------------------------------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                            |      |                                                                                                                                                                     | SIGN                                                                                  | STAMP                                                                                 |
| E722001                                                    | 130  | Do a visual inspection of the air inlet screen.                                                                                                                     |    |    |
| E722004                                                    | 130  | Cracks and attachment of brackets and seals of fireseal mount rings. (Ref. 72-30-01/-02)                                                                            |    |    |
| E723000                                                    | 130  | Do a visual inspection with a mirror or a borescope inspection of the First-stage Compressor Rotor and the inlet case for corrosion                                 |    |    |
| E731002                                                    | 130  | Do a visual inspection of the fuel pump (in-situ inspection only) for installation and leakage                                                                      |    |    |
| E731003                                                    | 130  | Check oil-to-fuel heater installation                                                                                                                               |    |    |
| E731014                                                    | 130  | Check starting flow control/flow divider for installation and leaks.                                                                                                |    |    |
| E731015                                                    | 130  | Check outlet filter for foreign matter or distortion (Ref. 73-10-02).<br><b>(CLEANING / REPLACEMENT)</b><br>P/N OFF: <u>AN 6235-3A</u><br>P/N ON: <u>AN 6235-3A</u> |  |  |
| E731006                                                    | 130  | Check drain valve for installation and leaks                                                                                                                        |  |  |
| E731008                                                    | 130  | Do a visual inspection of the P3 filter and drain valve.                                                                                                            |  |  |
| E731018                                                    | 130  | Clean or replace the P3 filter based on condition, service experience or environment.<br><b>Note:</b> If corrossions are found, replace filter.                     |  |  |
| E732001                                                    | 130  | Check FCU for installation, linkages and pneumatic tubes.                                                                                                           |  |  |
| E732002                                                    | 130  | Examine the FCU for bearing wash-out, shown by blue dye (grease and fuel mixed) at FCU vent.                                                                        |  |  |
| E792002                                                    | 130  | Oil filter elements and secondary screen (coarse hat-type screen attached to the inner end of the filter).                                                          |  |  |
| E792003                                                    | 130  | Examine the forward oil transfer elbow installation on the Flange A. Make sure that the bolts tighten correctly                                                     |  |  |
| *** End of Engine PT6A-114A 100 Hours Inspection Items *** |      |                                                                                                                                                                     |                                                                                       |                                                                                       |




# MAINTENANCE PROGRAM CESSNA C208/C208B

## Chapter 44 – Engine PT6A-114A 100 Hours/Minor Inspection

| PERSONNEL PARTICIPATING IN THIS INSPECTION |          |           |                |
|--------------------------------------------|----------|-----------|----------------|
| NAME                                       | POSITION | SIGNATURE | LICENSE NUMBER |
| DENI S                                     | ENGINEER |           | 9632           |
| Prman.T.H                                  | MECHANIC |           |                |
|                                            |          |           |                |
|                                            |          |           |                |

### RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name : DENI SOBACI Stamp :   
Signature :  Place/Date : MKE / 11 AUG 2022



## MAINTENANCE PROGRAM CESSNA C208/C208B

### Appendix C01 – OOP34001 / Update Navigation Database

Reg. Mark : PK - SNS Date : 11 Aug 2022  
MSN : 208B-2341 Station : MK2  
TSN / CSN : 5895:44 / 6436 WO No. : WO/106-SNS/VIII/2022

| NO.                               | ZONE       | TASK                                                                                                                                                                                                                       | SIGNATURE |       |
|-----------------------------------|------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|
|                                   |            |                                                                                                                                                                                                                            | SIGN      | STAMP |
| 01                                | 211<br>212 | Update Navigation Database. <ul style="list-style-type: none"><li>G1000 Line Maintenance Manual, Doc. No. 190-00869-00, Rev. G.</li><li>G1000 NXi Supplemental Maintenance Manual, Doc. No. 190-02128-04, Rev. 3</li></ul> |           |       |
| *** End of Appendix C01 Items *** |            |                                                                                                                                                                                                                            |           |       |

| PERSONNEL PARTICIPATING IN THIS INSPECTION |          |           |                |
|--------------------------------------------|----------|-----------|----------------|
| NAME                                       | POSITION | SIGNATURE | LICENSE NUMBER |
| DENI SOBALI                                | ENGINEER |           | 8632           |
| Feryan, Ter - Hanyuli                      | MECHANIC |           |                |
|                                            |          |           |                |
|                                            |          |           |                |

### RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name : DENI SOBALI Stamp :   
Signature : Place/Date : MK2 / 11 AUG 2022



# EMERGENCY EQUIPMENT LIST INSPECTION & MONITOR

PT. SMART CAKRAWALA  
AVIATION  
DEPARTMENT TEKNIK  
Form: SCA/MTC/023

DATE : // 10/06/22

A/C REG : PK-SNS

A/C TYPE : C208B

CHECKER : DENNIS

SIGN:

*[Signature]*

| No.    | Description                 | P/N           | S/N         | Next Insp. | Remarks   |
|--------|-----------------------------|---------------|-------------|------------|-----------|
| 1      | Pilot Life Vest             | P01202-201    | 21021090006 | MARCH 2023 | Good      |
| 2      | Co-Pilot Life Vest          | P01202-201    | 19041660004 | APR 2023   | Good      |
| 3      | Pax Life Vest               |               |             |            |           |
| 4      | Pax Life Vest               |               |             |            |           |
| 5      | Pax Life Vest               |               |             |            |           |
| 6      | Pax Life Vest               |               |             |            |           |
| 7      | Pax Life Vest               |               |             |            |           |
| 8      | Pax Life Vest               |               |             |            |           |
| 9      | Pax Life Vest               |               |             |            |           |
| 10     | Pax Life Vest               |               |             |            |           |
| 11     | Pax Life Vest               |               |             |            |           |
| 12     | Pax Life Vest               |               |             |            |           |
| 13     | First Aid Kit               | FIRST AID KIT | 0721-2119   | July 2022  | July 2023 |
| 14     | Crash Axe Installed         | LOCAL         | NSN         | -          | Good      |
| 15     | Fire Extinguisher           | C 352         | X 690527    | OCT. 2022  | Good      |
| 16     | Life Raft (If Installed)    |               |             |            |           |
| 17     | Survival Kit (If Installed) |               |             |            |           |
| OTHERS |                             |               |             |            |           |
| 18     | FLASH LIGHT                 | -             | -           | -          | Good      |
|        |                             |               |             |            |           |



1

## Special Tool Used

[illegible]



2

[illegible]

