



PT. SMART CAKRAWALA AVIATION

**WORK ORDER**

Form: SCA/MTC/030

Subject : <b>Inspection 400 Hours A/F-ENG. &amp; Add.Task</b>	No.	WO/051-SNA/IX/2023
	Date	18 Sept 2023
	A/C Reg.	PK-SNA C208B-5634
Reference : <b>MP C208B ISSUED 01</b>	Prepared By	TS
	Checked By	CI
	Approved By	TM

To : Engineer In Charge

**Description :**

1. Perform Inspection 400 Hrs A/F-ENG. & Add.Task @2800Hrs
2. Make an entry in Maintenance Log.
3. Return the Completed Work Order and Form to PPC.

#If any finding, please close the routine card, and transferred to inspection card.

**Additional Work :**

Compliance Statement	Sign & Date Company Lic. No.:  (Engineer In Charge) VANI ANANTA	Signature  (Technical Manager)
----------------------	--	--------------------------------------

# AIRCRAFT CHECK WORK SUMMARY

(Form: SCA/MTC/051)

DATE OF ISSUED	JO/WO #	TYPE OF MAINTENANCE	DATE OF ACCOMPLISHED
18 Sept 2023	WO/051-SNA/IX/2023	Inspection 400Hrs A/F ENG. & Add Task	26 SEPT 2023

A/C Type	Mfg. Serial Number	A/C Registration
C208B	C208B-5634	PK-SNA





## AIRCRAFT DATA

Subject	Pos #	Serial Number (SN)	TTSN/TCSN
Engine	#1	PCE-VA0730	2795:59 / 4375
	#2	-	-
Propeller/Rotor	#1	200483	2795:59
	#2	-	-
Landing Gear	NLG		2795:59 / 4375
	LH MLG		2795:59 / 4375
	RH MLG		2795:59 / 4375

## PACKAGE COVERED


No	Subject	Qty	Remark
1	Non-Routine Card	2	#01, #02
2	Inspection Card	1	
3	Work Order	1	
4	Summary Inspection List	1	
5	Material and Tool List	1	
6	Escalation form		
7	CRS (SMI / Unscheduled Maintenance)	1	

## INSPECTION CARD (IC) LIST (Finding during maintenance)

No	Taskcard Ref	Subject	Status		Name/ Sign & Stamp
			Open	Close	
IC-001	D121001	LH BRAKE CALIPER LEAKING		✓	 VANI ANANTA 30
IC-002	D121001	RH BRAKE CALIPER LEAKING		✓	 VANI ANANTA 30
IC-003	D121001	LH BRAKE LININGS OUT OF LIMIT		✓	 VANI ANANTA 30
IC-004	A322001	NOSE WHEEL BEARING CORROSION		✓	 VANI ANANTA 30
IC-005	E122101	LH BRAKE DISC OUT OF LIMIT		✓	 VANI ANANTA 30
IC-006	E122101	RH BRAKE DISC OUT OF LIMIT		✓	 VANI ANANTA 30


<u>IC-007</u>				
<u>IC-008</u>				
<u>IC-009</u>				
<u>IC-010</u>				
<u>IC-011</u>				
<u>IC-012</u>				
<u>IC-013</u>				
<u>IC-014</u>				
<u>IC-015</u>				

Prepared by :  
Technical Support




Dwi M.

Checked by :  
Chief Maintenance




Dodit

Verified by :  
Chief Inspector



Yanuar

Approved by :  
Technical Manager



Istiono



# MAINTENANCE PROGRAM

## CESSNA 208/208B

### Appendix B08 – PT6A-140 Engine Run Performance Sheet

Reg. Mark

: PK - SNA

WO/FML No. : WO/051 - SNA /IX/2023

PRE – INSPECTION	
Location	NABHE
Date	23-09-23
Cycle	4367
Filed Barometric	1006 HPa
OAT	36
Altitude	60 FEET

POST – INSPECTION	
Location	NABHE
Date	26-09-2023
Cycle	4367
Filed Barometric	1006 HPa
OAT	37
Altitude	60

PRE – INSPECTION		
	Target	Actual
Tq	2397	2397
Np	1900	1880
ITT	842 °C	833 °C
Ng	102.6 %	100.7 %
Wf	565	529
Oil Press		89 °C
Oil Temp		77 °C
Start Temp		76.5 °C

POST – INSPECTION		
	Target	Actual
Tq	2397	2397
Np	1900	1880
ITT	842 °C	831 °C
Ng	102.6 %	100.2 %
Wf	560	521
Oil Press		90 °C
Oil Temp		72 °C
Start Temp		38.5 °C

#### Engine Run Up Checks

Inertial  EPL  OVG  Stby Alt  BOV  Brake  Random

#### NOTE:

1. Brake system at Torque 2000 ft-lbs.
2. Inertial Separator at Torque 400 ft-lbs.
3. EPL check can't exceed 4% Ng per second.
4. Standby Alt at 80% Ng.
5. Low idle at 55.5 - 57% 40Amps.
6. High idle at 64 - 66% Ng 40Amps

#### Engine Performance Target Table (Cessna C208B EX)


OAT (°C)	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41
Tq (ft.lbs)	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397	2397
Np	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
ITT (°C)	835	837	839	841	841	841	841	841	841	842	843	844	846	846	846
Ng (%)	102.7	102.7	102.7	102.7	102.7	102.7	102.7	102.6	102.6	102.6	102.6	102.6	102.6	102.6	102.5
WF (PPH)	578	578	578	578	578	578	578	570	565	565	560	560	555	548	548

#### Note:

1. Make sure that inertial separator in normal condition, no bleed air extracted from the engine and air condition OFF.
2. This table only applies to altitude 0-500 feet MSL. For higher altitude, refer to EMM 72-00-00.
3. Max fuel flow is 580 lb/hr fuel flow is not more than 15 lbs/hr higher than the value shown in table.
4. If parameters are outside the target performance table to EMM chapter 71-00-00.

#### REMARKS:

NIL

PERFORMED BY			
Name	Sign & Stamp	Date	Location
UANIL ANANTHA	 30	26/09/2023 SEPT	NBX

Issued: 01

SCA/TEK/1-001

15 December 2022

Page B08.1



**INSPECTION CARD**  
(Form: SCA/MTC/ 048)

TECHNICAL  
DEPARTMENT

1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE
IC-001	W0/051 - SNA/IX/2023		D121001	26 SEPT 2023
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #	
PK-SNA / 5634	C 208B - EX	REPLACEMENT		
9. ZONE	10. STA	11. MTC TYPE		
121	NBX	REPLACEMENT		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE
LH BRAKE CALIPER POUND LEAKING	JANI ANANTA	26/2023 /SEPT

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
PERFORMED BRAKE CALIPER REPACKING, REPLACED 4 O-RING AND 4 INSULATOR IAW C 208B AMM CHAP 32 - 40-00			26/2023 /SEPT
Performed at A/C TT : 2705:59..... A/C TC /LDG : 4375			
20. CORROSION INFORMATION			
LOCATION	CAUSE OF DAMAGE		
	<input type="checkbox"/> Environment		
	<input type="checkbox"/> Internal Leakage		
CORROSION <input type="checkbox"/> Isolated <input type="checkbox"/> Widespread	<input type="checkbox"/> Chemical Spill		
CORROSION LVL <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3	<input type="checkbox"/> LAV/Galley Spill		
PROPOSED ACTION <input type="checkbox"/> Doublers	<input type="checkbox"/> Blocked Drain		
<input type="checkbox"/> Others	<input type="checkbox"/> Wet Insulation Blanket		
	<input type="checkbox"/> Other		
21. If the defect is RII, Please Sign this card finally by RII Inspector			INSP
NOTICE OF INSPECTOR			DATE

22. PARTS REQUIRED						
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS	
			ON	OFF	CLOSE	OPEN
O-RING	M6 28775-224	1EA			✓	
INSULATOR	080-00100	4EA			✓	
23. TOOLS REQUIRED						
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE		STATUS		
GENERAL TOOLS	-	-		SERVICABLE		



**INSPECTION CARD**  
(Form: SCA/MTC/ 048)

TECHNICAL  
DEPARTMENT

1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE
IC - 002	HO/001 - SNA /1x/2023		D121001	26 SEPT 2023
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #	
PK-SNA /5639	C 208 B - EX			
9. ZONE	10. STA	11. MTC TYPE		
121	NBX	REPLACEMENT		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE
RH BRAKE CALIPER FOUND LEAKING	VANI ANANTA	26 / 2023 SEPT

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
PERFORMED BRAKE CALIPER REPACKING, REPLACED 4 O-RING AND 4 INSULATOR IAW C 208 B AIAA CHAP 32 - 40 - 00			26 / 2023 SEPT

Performed at A/C TT : 2705:54 A/C TC /LDG : 4375

20. CORROSION INFORMATION	INSP	DATE
LOCATION	CAUSE OF DAMAGE	
	<input type="checkbox"/> Environment	
	<input type="checkbox"/> Internal Leakage	
CORROSION <input type="checkbox"/> Isolated <input type="checkbox"/> Widespread	<input type="checkbox"/> Chemical Spill	
CORROSION LVL <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3	<input type="checkbox"/> LAV/Galley Spill	
PROPOSED ACTION <input type="checkbox"/> Doublers	<input type="checkbox"/> Blocked Drain	
<input type="checkbox"/> Others	<input type="checkbox"/> Wet Insulation Blanket	
	<input type="checkbox"/> Other	

21. If the defect is RII, Please Sign this card finally by RII Inspector

NOTICE OF INSPECTOR

22. PARTS REQUIRED						
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS	
			ON	OFF	CLOSE	OPEN
O-RING	M5 28775 - 224	4EA	-	-	✓	
INSULATOR	088 - 00100	4EA	-	-	✓	
23. TOOLS REQUIRED						
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE		STATUS		
GENERAL Tools	-	-		SERVICEABLE		



**INSPECTION CARD**  
(Form: SCA/MTC/ 048)

TECHNICAL  
DEPARTMENT

1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE
1C-003	W0/051-SUA/1X/2023		D121001	26 SEPT 2023
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #	
PK-SNA / 5634	C 208B - EX			
9. ZONE	10. STA	11. MTC TYPE		
(2)	NBx	REPLACEMENT		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE
LH BRAKE LININGS FOUND OUT OFF LIMITS ON THE PRESSURE PLATE 4 EA	VANI ANANTA	26/2023 Sept

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
REPLACED LH BRAKE LININGS ON THE PRESSURE PLATE WITH A NEW ONE IAW C208B AIRAC CHAP 32 - 40-00			26/2023 Sept
Performed at A/C TT : 2705:59 A/C TC /LDG : 4375			
20. CORROSION INFORMATION			
LOCATION	CAUSE OF DAMAGE		
	<input type="checkbox"/> Environment		
	<input type="checkbox"/> Internal Leakage		
CORROSION <input type="checkbox"/> Isolated <input type="checkbox"/> Widespread	<input type="checkbox"/> Chemical Spill		
CORROSION LVL <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3	<input type="checkbox"/> LAV/Galley Spill		
PROPOSED ACTION <input type="checkbox"/> Doublers	<input type="checkbox"/> Blocked Drain		
	<input type="checkbox"/> Wet Insulation Blanket		
	<input type="checkbox"/> Other		
21. If the defect is RII, Please Sign this card finally by RII Inspector	INSP	DATE	
NOTICE OF INSPECTOR			

22. PARTS REQUIRED						
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS	
			ON	OFF	CLOSE	OPEN
LINING	066-03300	4	NSN	NSN	✓	

23. TOOLS REQUIRED					
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE		STATUS	
GENERAL TOOL	-	-		SERVICEABLE	
TORQUE WRENCH	TA - 0250	NOV 2023		SERVICEABLE	
MICRO METER	CD-6" ASX	NOV 2023		SERVICEABLE	



**INSPECTION CARD**  
(Form: SCA/MTC/ 048)


TECHNICAL  
DEPARTMENT

1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE
IC - 005	WO/OSI - SNA / 1X / 2023		C122101	26 SEPT 2023
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #	
PK - SNA / 5634	C 208B - EX			
9. ZONE	10. STA	11. MTC TYPE		
700	NBX	REPLACEMENT		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE
LH BRAKE DISC OUT OFF LIMIT	VANI ANANTA	26 / 2023 / SEPT

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
REPLACED LH DISC BRAKE WITH A NEW ONE IN VR C208B APMT CHAP 32-40-00			26 / 2023 / SEPT
Performed at A/C TT : 2705:59 A/C TC /LDG : 5375			
20. CORROSION INFORMATION			
LOCATION	CAUSE OF DAMAGE		
CORROSION	<input type="checkbox"/> Isolated	<input type="checkbox"/> Widespread	<input type="checkbox"/> Environment
CORROSION LVL	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> Internal Leakage
PROPOSED ACTION	<input type="checkbox"/> Doublers	<input type="checkbox"/> Chemical Spill	
	<input type="checkbox"/> Others	<input type="checkbox"/> LAV/Galley Spill	
		<input type="checkbox"/> Blocked Drain	
		<input type="checkbox"/> Wet Insulation Blanket	
		<input type="checkbox"/> Other	
21. If the defect is RII, Please Sign this card finally by RII Inspector			INSP
NOTICE OF INSPECTOR			DATE

22. PARTS REQUIRED						
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS	
			ON	OFF	CLOSE	OPEN
BRAKE DISC	164-22201	1	-	-	✓	
23. TOOLS REQUIRED						
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE		STATUS		
GENERAL TOOLS	-	-		SERVICEABLE		
TORQUE	TA - 0250	NOV 2023		SERVICEABLE		
MICROMETER	CD - 6" ASX	NOV 2023		SERVICEABLE		



**INSPECTION CARD**  
(Form: SCA/MTC/ 048)

TECHNICAL  
DEPARTMENT

1. CARD #	2. JOWO #	3. ORIGINATOR	4. CARD REF	5. DATE
IC - 006	W0 /051-SNA/1X/2023		C122101	26 SEPT 2023
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #	
PK-SNA /5634	C 208B - EX			
9. ZONE	10. STA	11. MTC TYPE		
700	NBx	REPLACEMENT		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE
RH BRAKE DISC OUT OFF LIMIT	VANI ANANTHA	26/ 2023 SEPT

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
REPLACED RH BRAKE DISC WITH A NEW ONE IAW C208B AMM CMAP 32-40-00			26/ 2023 SEPT
Performed at A/C TT : 2705:54 A/C TC /LDG : 4375			
20. CORROSION INFORMATION			
LOCATION	CAUSE OF DAMAGE		
CORROSION	<input type="checkbox"/> Isolated	<input type="checkbox"/> Widespread	<input type="checkbox"/> Environment
CORROSION LVL	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> Internal Leakage
PROPOSED ACTION	<input type="checkbox"/> Doublers	<input type="checkbox"/> Chemical Spill	
	<input type="checkbox"/> Others	<input type="checkbox"/> LAV/Galley Spill	
		<input type="checkbox"/> Blocked Drain	
		<input type="checkbox"/> Wet Insulation Blanket	
		<input type="checkbox"/> Other	
21. If the defect is RII, Please Sign this card finally by RII Inspector	INSP	DATE	
NOTICE OF INSPECTOR			

22. PARTS REQUIRED						
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS	
			ON	OFF	CLOSE	OPEN
Brake Disc	169 - 22201	1	-	-	✓	
23. TOOLS REQUIRED						
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE			STATUS	
GENERAL TOOLS	-	-			SERVICEABLE	
TORQUE	TA - 0200	NOV 2023			SERVICEABLE	
MICROMETER	CD - 6" ASK	NOV 2023			SERVICEABLE	



**NON ROUTINE CARD**  
(Form: SCA/MTC/047)

1. JO/WO #	2. DATE	3. MTC TYPE	4. A/C REG/MSN
WO/051-SNA/IX/2023	26 SEPT 2023	REPLACEMENT COMPONENT	PK-SNA
5. CARD #	6. ATA SPEC	7. TRADE	8. STA
#01	37		NBX
9. ZONE	10. PANEL		

**11. DESCRIPTION**

PERFORM VACUUM SYSTEM CENTRAL AIR FILTER REPLACEMENT

P/N: D9-18-1 / C294502-0201

REFERENCE	<input checked="" type="checkbox"/> AMM Ch. 37-10-00-960	<input type="checkbox"/> EMM Ch	<input type="checkbox"/> OTHER
RII (*)	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	MHR:

12. RESULT	MECH	ENG	INSP (*)
REPLACED CENTRAL AIR FILTER VACUUM SYSTEM 1AW C208B AMM CHAP 37-10 - 00			
Performed at A/C TT: 2795:54 A/C TC/LDG: 4375			
FINDING <input type="checkbox"/> Y <input type="checkbox"/> N ACT MHR:			DATE/TIME (DD/MM/YY)
INSPECTION CARD (IC) #			

**13. PARTS REQUIRED**

DESCRIPTION	PART NO	QTY	REMARK	
			STOCK	STATUS
FILTER ELEMENT	D9-18-1 / C294502-0201	1		OK

**14. TOOLS REQUIRED**

DESCRIPTION	PART NO / MODEL	NEXT CALIBRATION DATE	STATUS
GENERAL TOOLS	-	-	SERVICEABLE



**NON ROUTINE CARD**  
(Form: SCA/MTC/047)

1. JO/WO #	2. DATE	3. MTC TYPE	4. A/C REG/MSN
WO/051-SNA/IX/2023	26 SEPT 2023	REPLACEMENT COMPONENT	PK-SNA
5. CARD #	6. ATA SPEC	7. TRADE	8. STA
#02	37		NBX
9. ZONE	10. PANEL		

**11. DESCRIPTION**

PERFORM VACUUM RELIEF VALVE FILTER REPLACEMENT  
P/N: B3-5-1 / C482001-0202

REFERENCE	<input checked="" type="checkbox"/> AMM Ch. 37-10-00-961	<input type="checkbox"/> EMM Ch	<input type="checkbox"/> OTHER
RII (*)	<input type="checkbox"/> Y	<input checked="" type="checkbox"/> N	MHR:

12. RESULT				MECH	ENG	INSP (*)
REPLACED VACUUM RELIEF VALVE FILTER IAW C 208B AMM CHAP 37-10-00					H	
Performed at A/C TT: 2795:59 A/C TC/LDG: 4375						
FINDING	<input type="checkbox"/> Y	<input type="checkbox"/> N	ACT MHR:	DATE/TIME (DD/MM/YY)		
INSPECTION CARD (IC) #						

**13. PARTS REQUIRED**

DESCRIPTION	PART NO	QTY	REMARK	
			STOCK	STATUS
FILTER ELEMENT	B3-5-1 / C482001-0202	1		ok.

**14. TOOLS REQUIRED**

DESCRIPTION	PART NO / MODEL	NEXT CALIBRATION DATE	STATUS
6 -	-	-	-



PT. SMART CAKRAWALA AVIATION

**CERTIFICATE RETURN TO SERVICE**  
**SCHEDULED MAINTENANCE INSPECTION**  
**(CRS-SMI)**

A/C TYPE	: CESSNA 208B	TTSN	: 2735:54
A/C REG	: PK-SNA	TCSN	: 4375
MSN	: C208B-5634	DATE	: 26 SEPT 2023

TYPE OF INSPECTION	: INSPECTION 400 HRS A/F-ENG. & ADD.TASK
DUE AT	: 2800 HOURS
REF	: MP C208B ISSUED 01

**EXCEPTION**

NIL

**AUTHORIZED PERSON**

I hereby certify that this aircraft has been maintained accordance with CASR and Maintenance Program.  
Aircraft safe and airworthy for flight

NAME	CAT	AMEL/OTR NO	SIGN&STAMP	DATE
VANI ANANTA WIKRATA	AIRFRAME & POWER PLANT	9659 / SCA 30	 	26 / 2023 SEPT
	EIRA			

THE NEXT DUE TYPE OF INSPECTION : 100 Hours

DUE AT : 2900 : 00 Hours

Form: SCA/MTC/049



Aircraft Registration: **PK-SNA**

WO# Nr: **WO/051-SNA/IX/2023**

# **Additional Work Sheet**

## **400 Hours AF-ENG. &**

### **Add. Task Inspection**

## Parts Used Sheet

## Special Tool Used



Aircraft Registration: **PK-SNA**

WO# Nr. **WO/051-SNA/IX/2023**

# **Additional Work Sheet**

## **400 Hours A/F-ENG.&**

### **Add. Task Inspection**

## Parts Used Sheet



EMERGENCY EQUIPMENT  
LIST  
INSPECTION & MONITOR

PT. SMART CAKRAWALA  
AVIATION  
DEPARTMENT TEKNIK  
Form: SCA/MTC/023

DATE : 24 SEPT. 2023	A/C REG : PK-SNA	
A/C TYPE : C208B	CHECKER : PILOT AGAMA	SIGN: <i>Amry</i>

No.	Description	P/N	S/N	Next Insp.	Remarks
1	Pilot Life Vest	P01202-201	21031090020	MARCH 2030	GOOD
2	Co-Pilot Life Vest	P01202-201	21031090008	MARCH 2030	GOOD
3	Pax Life Vest	—	—	—	—
4	Pax Life Vest	—	—	—	—
5	Pax Life Vest	—	—	—	—
6	Pax Life Vest	—	—	—	—
7	Pax Life Vest	—	—	—	—
8	Pax Life Vest	—	—	—	—
9	Pax Life Vest	—	—	—	—
10	Pax Life Vest	—	—	—	—
11	Pax Life Vest	—	—	—	—
12	Pax Life Vest	—	—	—	—
13	Firt Aid Kit	FAK	0221-1898	FEB 2024	GOOD
14	Crash Axe Installed	—	—	—	SERV.
15	Fire Extinguisher	—	E-40531481	JULY 2024	GOOD
16	Life Raft (If Installed)	—	—	—	—
17	Survival Kit (If Installed)	CSK	105755	JAN 2024	—

OTHERS

18. Flash Light	—	—	—	—	Serv.