



PT. SMART CAKRAWALA AVIATION

WORK ORDER

Form: SCA/MTC/030

Subject : Inspection Document 0A & Add Task Due at April 2022.	No.	WO/099-SNS/IV/2022
	Date	10-Apr-2022
	A/C Reg.	PK-SNS C208B-2341
Reference : MP C208B Rev. 10	Prepared By	TS
	Checked By	CI
	Approved By	TM
To : Engineer In Charge		
Description : 1. Perform Inspection Document 0A & Add Task Due at April 2022 2. Make an entry in Maintenance Log. 3. Return the Completed Work Order and Form to PPC. #If any finding, please close the routine card, and transferred to inspection card.		
Additional Work : 		
Compliance Statement	Sign & Date Company Lic. No.: (Engineer In Charge)	Signature (Technical Manager)

AIRCRAFT CHECK WORK SUMMARY
(Form: SCA/MTC/051)

DATE OF ISSUED	JO/WO #	TYPE OF MAINTENANCE	DATE OF ACCOMPLISHED		
10-Apr-2022	WO/099-SNS/IV/2022	Inspection Doc. 0A & Add Task			
A/C Type	Mfg. Serial Number	A/C Registration			
C208B	C08B-2341	PK-SNS			
AIRCRAFT DATA					
Subject	Pos #	Serial Number (SN)	TTSN/TCSN		
Engine	#1	PCE-PC1288			
	#2	-			
Propeller/Rotor	#1	111120			
	#2	-			
Landing Gear	NLG				
	LH MLG				
	RH MLG				
PACKAGE COVERED					
No	Subject	Qty	Remark		
1	Non-Routine Card	2	#001, #002		
2	Inspection Card	1			
3	Work Order	1			
4	Summary Inspection List	1			
5	Material and Tool List	-			
6	Escalation form	-			
7	CRS (SMI / Unscheduled Maintenance)	1			
INSPECTION CARD (IC) LIST (Finding during maintenance)					
No	Taskcard Ref	Subject	Status		Name/ Sign & Stamp
			Open	Close	
<u>IC-001</u>					
<u>IC-002</u>					
<u>IC-003</u>					
<u>IC-004</u>					
<u>IC-005</u>					
<u>IC-006</u>					

<u>IC-007</u>					
<u>IC-008</u>					
<u>IC-009</u>					
<u>IC-010</u>					
<u>IC-011</u>					
<u>IC-012</u>					
<u>IC-013</u>					
<u>IC-014</u>					
<u>IC-015</u>					

Prepared by :
Technical Support

Checked by :
Chief Maintenance

Verified by :
Chief Inspector

Approved by :
Technical Manager

.....

.....

.....

.....



SUMMARY INSPECTION ITEMS
(Form: SCA/MTC/050)

WO Ref: WO/099-SNS/IV/2022

NO.	TASK CARD NO.	DESCRIPTION	DATE	EST MHR	NAME	STAMP
1	CHAPTER 06	INSPECTION DOCUMENT 0A				
2	CHAPTER 07	INSPECTION DOCUMENT 01				
3	CHAPTER 08	INSPECTION DOCUMENT 02				



PT. SMART CAKRAWALA AVIATION

CERTIFICATE RETURN TO SERVICE

SCHEDULED MAINTENANCE INSPECTION
(CRS-SMI)

A/C TYPE : CESSNA 208B

TTSN :

A/C REG : PK-SNS

TCSN :

MSN : C208B-2341

DATE :

TYPE OF INSPECTION : INSPECTION DOC. 0A & ADD TASK

DUE AT : APRIL 2022

REFF : MP C208B REV. 10

EXCEPTION

AUTHORIZED PERSON


I hereby certify that this aircraft has been maintained accordance with CASR and Maintenance Program.
Aircraft safe and airworthy for flight

NAME	CAT	AMEL/OTR NO	SIGN&STAMP	DATE
	AIRFRAME & POWER PLANT			
	EIRA			

THE NEXT DUE TYPE OF INSPECTION :

DUE AT : HOURS

Form: SCA/MTC/049

	INSPECTION CARD (Form: SCA/MTC/ 048)	TECHNICAL DEPARTMENT
---	---	-------------------------

1. CARD #	2. JO/WO #	3. ORIGINATOR	4. CARD REF	5. DATE
6. A/C REG/MSN	7. A/C TYPE	8. TRADE	12. VENDOR ORDER #	
9. ZONE	10. STA	11. MTC TYPE		

13. DESCRIPTION/DEFECT-IF FINDING OF CPCP INSPECTION, PLEASE COMPLETE SET. 20	14 PPC/ENG	15 DATE

16. CORRECTIVE ACTION	17 MECH	18 ENG. LIC	19 DATE
Performed at A/C TT : A/C TC /LDG :			

20. CORROSION INFORMATION					
LOCATION	CAUSE OF DAMAGE				
	<input type="checkbox"/> Environment				
	<input type="checkbox"/> Internal Leakage				
CORROSION <input type="checkbox"/> Isolated <input type="checkbox"/> Widespread	<input type="checkbox"/> Chemical Spill				
CORROSION LVL <input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3	<input type="checkbox"/> LAV/Galley Spill				
PROPOSED ACTION <input type="checkbox"/> Doublers	<input type="checkbox"/> Blocked Drain				
<input type="checkbox"/> Others	<input type="checkbox"/> Wet Insulation Blanket				
	<input type="checkbox"/> Other				

21. If the defect is RII, Please Sign this card finally by RII Inspector	INSP	DATE
NOTICE OF INSPECTOR		

22. PARTS REQUIRED						
PART DESCRIPTION	PART NO	QTY	SERIAL NO		STATUS	
			ON	OFF	CLOSE	OPEN

23. TOOLS REQUIRED			
DESCRIPTION	PART NO. / MODEL	NEXT CALIBRATION DATE	STATUS



MAINTENANCE PROGRAM CESSNA C208/C208B

Chapter 6 – Inspection Document 0A

Reg. Mark	:	PK - _____	Date	:	_____
MSN	:	_____	Station	:	_____
TSN / CSN	:	_____	WO No.	:	_____

TASK NUMBER	TASK	SIGNATURE	
		SIGN	STAMP
05-20-00-280	Aircraft Records Check		
12-10-01-610	Hydraulic Brake System Servicing		
24-33-00-720	Concord Sealed Lead Acid Battery Functional Check (Capacity Check) EPV Voltage : _____ Volt Result : _____ %		
25-10-00-220	Crew Seats Detailed Inspection		
25-10-00-710	Inertia Reel Operational Check		
27-10-00-721	<p>Aileron System Functional Check</p> <p>Aileron Wing Cable Tension 40 ± 5 lbs (178 ± 22 N) @ 21°C (70°F) Ref. 27-10-00 Figure 602 Result : _____ lbs</p> <p>Aileron Fuselage Cable Tension $20 + 5$ lbs ($89 + 22$ N) @ 21°C (70°F) Ref. 27-10-00 Figure 603 Result : _____ lbs</p> <p>Turn the control wheel so that the stop bolt touches the right bellcrank. Left aileron up travel must be $25 + 4$ or 0 degrees. Result : _____ degrees</p> <p>Turn the control wheel so that the stop bolt touches the left bellcrank. Left aileron down travel must be $16 + 1$ or -0 degrees Result : _____ degrees</p>		
27-50-00-220	Flap Actuator Mount Bracket Detailed Inspection		



MAINTENANCE PROGRAM

CESSNA C208/C208B

Chapter 6 – Inspection Document 0A

TASK NUMBER	TASK	SIGNATURE	
		SIGN	STAMP
27-50-00-221	Flap Bell Crank Detailed Inspection		
27-50-00-720	Flap System Functional Check Make sure that cable tension is 35 ±5 lbs (156 ±22 N) @ 21°C (70°F) Ref. 27-50-00 Figure 602 Result: _____ lbs		
32-20-00-220	Nose Landing Gear Detailed Inspection		
32-40-00-220	Brakes Detailed Inspection Brake Disc Thickness (minimum 0.537 inch) LH: _____ inch / RH: _____ inch Brake linings Thickness (minimum 0.100 inch) Outboard LH: _____ inch. Outboard RH: _____ inch Inboard LH: _____ inch. Inboard RH: _____ inch		
32-40-00-222	Main Landing Gear Wheels and Tires Detailed Inspection Tire Pressure (56 ± 5 psi for APE STOL Installed & 45 ± 5 psi for non-APE STOL) Tire Pressure LH: _____ psi Tire Pressure RH: _____ psi		
32-40-00-224	Nose Landing Gear Wheel and Tire Detailed Inspection Tire Pressure (36 ± 6 psi) Tire Pressure : _____ psi		
32-10-00-220	Main Landing Gear Detailed Inspection Free Play Check (maximum 0.014 inch / 0.3556 mm) LH: _____ inch / RH: _____ inch		
53-10-00-214	Empennage and Horizontal Stabilizer Zonal Inspection		
53-10-00-210	External Fuselage Zonal Inspection		
53-10-00-211	Internal Cockpit Zonal Inspection		
53-10-00-212	Internal Cabin Zonal Inspection		



MAINTENANCE PROGRAM CESSNA C208/C208B

Chapter 6 – Inspection Document 0A

TASK NUMBER	TASK	SIGNATURE	
		SIGN	STAMP
53-10-00-213	Internal Tail Cone Zonal Inspection		
57-10-00-210	Wing Zonal Inspection		
61-11-00-720	McCauley Propeller Functional Check		
71-20-00-220	Engine Mounts and Firewall Detailed Inspection		
71-00-01-210	Engine Compartment Zonal Inspection		
76-10-00-720	Engine Controls Functional Check Low Idle Ng (52% - 55%) Result: _____ % High Idle Ng (64% - 66%) Result: _____ %		

PERSONNEL PARTICIPATING IN THIS INSPECTION			
NAME	POSITION	SIGNATURE	LICENSE NUMBER

RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name : _____ Stamp : _____
 Signature : _____ Place/Date : _____



MAINTENANCE PROGRAM CESSNA C208/C208B

Chapter 7 – Inspection Document 01

Reg. Mark	:	PK - _____	Date	:	_____
MSN	:	_____	Station	:	_____
TSN / CSN	:	_____	WO No.	:	_____

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
C122106	801 802 803 804 921 922 923 924	Key Lock Lubrication Task 12-21-07-640		
A251000	801 802	Smoke Goggle General Visual Inspection Task 25-10-00-210		
B262001	215 216 251 252	Portable Fire Extinguisher Functional Check (Weight Check) Task 26-20-00-720		
B272003	211 212 213 214 217 218 233 234 253 254 257 258 311 312 320 341	Rudder System Functional Check (Float Kit Installation) Task 27-20-00-721		
B313101	312	Flight Data Recorder System Functional Check Task 31-31-00-720		
A321001	721 722	Main Landing Gear Detailed Inspection Task 32-10-00-220		
A322002	701	Drag Link Forward Support Seal General Visual Inspection (Airplanes 20800553 and On and 208B5076 and on) Task 32-20-00-210		
A324001	721 722	Brakes Detailed Inspection Task 32-40-00-220		
A324005	721 722	Main Landing Gear Wheels and Tires Detailed Inspection Task 32-40-00-222		
A324009	710	Nose Landing Gear Wheel and Tire Detailed Inspection Task 32-40-00-224		
B350101	231 232 251 252 255 256 311 312 801 802	Oxygen System Operational Check Task 35-01-00-710		



MAINTENANCE PROGRAM CESSNA C208/C208B

Chapter 7 – Inspection Document 01

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
A714101	130	Engine Wash Ring, Air Plenum, and Thermocouple (T1) Detailed Inspection Task 71-41-00-220		
*** End of Inspection Document 01 Items ***				

PERSONNEL PARTICIPATING IN THIS INSPECTION			
NAME	POSITION	SIGNATURE	LICENSE NUMBER

RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name : _____ Stamp : _____
Signature : _____ Place/Date : _____



MAINTENANCE PROGRAM **CESSNA C208/C208B**

Chapter 8 – Inspection Document 02

Reg. Mark	:	PK - _____	Date	:	_____
MSN	:	_____	Station	:	_____
TSN / CSN	:	_____	WO No.	:	_____

ITEM CODE NO.	ZONE	TASK	SIGNATURE	
			SIGN	STAMP
A710001	130	Engine Compartment Zonal Inspection Task 71-00-01-210		
*** End of Inspection Document 02 Items ***				

PERSONNEL PARTICIPATING IN THIS INSPECTION			
NAME	POSITION	SIGNATURE	LICENSE NUMBER

RETURN TO SERVICE

The work recorded above has been carried out in accordance with the requirements of the Civil Aviation Safety Regulation for the time being in force and in that respect the aircraft is consider fit for Release to Service.

Name	:	_____	Stamp	:	_____
Signature	:	_____	Place/Date	:	_____

[illegible]



WO# Nr: **WO/099-SNS/IV/2022**

Parts Used Sheet

2

Part Used

[illegible]